







H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.12	260.3	4	18.9	5.38	HA32	63A4	1096	82-83
	214.8	5	15.6	6.52			1169	
	172.6	6	11.8	8.11			1257	
	128.0	9	10.5	10.94			1389	
	105.7	10	7.7	13.25			1481	
	84.9	13	6.2	16.49			1593	
	69.1	16	5.7	20.26			1706	
	57.0	19	4.4	24.55			1818	
	45.8	24	3.3	30.55			1956	
	39.5	28	3.2	35.44			2000	
	31.7	35	2.6	44.10			2000	
	28.7	38	2.1	48.75			2000	
	23.1	48	2.0	60.67			2000	
20.4	54	1.7	44.10	HA32	63B6	2000	82-83	
18.5	60	1.3	48.75			2000		
14.8	74	1.3	60.67			2000		
23.5	46	2.2	59.65	HA33	63A4	2000	84-85	
19.4	56	1.8	72.27			2000		
15.6	69	1.4	89.94			2000		
12.7	85	1.2	110.51			2000		
10.5	103	1.0	133.88			2000		
8.4	128	0.8	166.61			2000		
177.8	6	4.0	7.88	HA41	63A4	1000	86-87	
129.2	9	2.3	10.83			1000		
15.6	69	2.2	89.94	HA43	63A4	4300	90-91	
12.7	85	1.8	110.51			4300		
10.5	103	1.5	133.88			4300		
8.4	128	1.2	166.61			4300		
7.2	149	1.0	193.30			4300		
5.8	185	0.8	240.55			4300		
7.0	154	1.9	200.27	HA53	63A4	6000	96-97	
5.9	181	1.7	235.41			6000		
4.9	219	1.4	284.81			6000		
4.0	272	1.1	353.98			6000		
4.9	219	2.2	284.81	HA63	63A4	8000	102-103	
4.0	272	1.8	353.98			8000		
13.0	83	2.4	108.05	H033	63A4	5500	106-107	
11.3	95	2.10	123.71			5500		
9.8	110	1.81	143.33			5500		
7.8	137	1.46	178.61			5500		
7.1	152	1.32	197.17			5500		
5.7	189	1.06	245.70			5500		
8.5	127	2.4	165.38	H043	63A4	6600	110-111	
6.8	158	1.90	205.07			6600		
6.2	175	1.71	227.50			6600		
5.0	217	1.38	282.10			6600		
0.18	260.3	6	12.6	5.38	HA32	63B4	1096	82-83
	214.8	8	10.4	6.52			1169	
	172.6	10	7.8	8.11			1257	
	128.0	13	7.0	10.94			1389	
	105.7	16	5.1	13.25			1481	
	84.9	19	4.1	16.49			1593	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.18	69.1	24	3.8	20.26	HA32	63B4	1706	82-83
	57.0	29	2.9	24.55			1818	
	45.8	36	2.2	30.55			1956	
	39.5	42	2.2	35.44			2000	
	31.7	52	1.7	44.10			2000	
	28.7	57	1.4	48.75			2000	
	23.1	72	1.3	60.67			2000	
	20.4	81	1.1	44.10	HA32	71A6	2000	82-83
	18.5	89	0.9	48.75			2000	
	14.8	111	0.9	60.67			2000	
	27.3	59	1.7	51.32	HA33	63B4	2000	84-85
	23.5	69	1.5	59.65			2000	
	19.4	83	1.2	72.27			2000	
	15.6	104	1.0	89.94			2000	
	12.7	128	0.8	110.51			2000	
	177.8	9	2.7	7.88	HA41	63B4	900	86-87
	129.2	13	1.6	10.83			1001	
	31.7	52	2.7	44.10	HA42	63B4	4300	88-89
	28.7	57	2.3	48.75			4300	
	23.1	72	2.0	60.67			4300	
	20.4	81	1.7	44.10	HA42	71A6	4300	88-89
	18.5	89	1.5	48.75			4300	
	14.8	111	1.3	60.67			4300	
	23.5	69	2.2	59.65	HA43	63B4	4300	90-91
	19.4	83	1.8	72.27			4300	
	15.6	104	1.4	89.94			4300	
	12.7	128	1.2	110.51			4300	
	10.5	155	1.0	133.88			4300	
	8.4	192	0.8	166.61			4300	
	10.1	160	1.9	138.71			HA53	
	8.6	188	1.6	163.05	6000			
	7.0	231	1.3	200.27	6000			
	5.9	272	1.1	235.41	6000			
	4.9	329	0.9	284.81	6000			
	7.0	231	2.1	200.27	HA63	63B4		8000
	5.9	272	1.8	235.41			8000	
	4.9	329	1.5	284.81			8000	
	4.0	409	1.2	353.98			8000	
	14.1	115	1.7	99.27	H033	63B4	5500	106-107
	13.0	125	1.60	108.05			5500	
	11.3	143	1.40	123.71			5500	
	9.8	165	1.21	143.33			5500	
	7.8	206	0.97	178.61			5500	
	7.1	228	0.88	197.17			5500	
	12.2	132	2.3	114.55			H043	
	11.1	145	2.07	125.69	6600			
	9.9	164	1.83	142.04	6600			
	8.5	191	1.57	165.38	6600			
	6.8	237	1.27	205.07	6600			
	6.2	263	1.14	227.50	6600			
	5.0	326	0.92	282.10	6600			




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.18	6.5	250	2.0	216.38	H053	63B4	8000	114-115
	5.2	309	1.62	267.65			8000	
0.25	260.3	9	9.1	5.38	HA32	71A4	1096	82-83
	214.8	11	7.5	6.52			1169	
	172.6	13	5.6	8.11			1257	
	128.0	18	5.0	10.94			1389	
	105.7	22	3.7	13.25			1481	
	84.9	27	3.0	16.49			1593	
	69.1	33	2.7	20.26			1706	
	57.0	40	2.1	24.55			1818	
	45.8	50	1.6	30.55			1956	
	39.5	58	1.6	35.44			2000	
	31.7	72	1.2	44.10			2000	
	28.7	80	1.0	48.75			2000	
	23.1	99	1.0	60.67			2000	
	29.5	78	1.0	30.55			HA32	
25.4	90	1.0	35.44	2000				
20.4	112	0.8	44.10	2000				
27.3	82	1.2	51.32	HA33	71A4	2000	84-85	
23.5	96	1.0	59.65			2000		
19.4	116	0.9	72.27			2000		
966.7	2	12.5	1.45	HA41	71A4	512	86-87	
475.5	5	6.2	2.94			648		
294.7	8	3.8	4.75			760		
256.7	9	3.3	5.45			796		
177.8	13	1.9	7.88			900		
129.2	18	1.1	10.83			1001		
31.7	72	1.9	44.10	HA42	71A4	4300	88-89	
28.7	80	1.6	48.75			4300		
23.1	99	1.4	60.67			4300		
25.4	90	1.7	35.44	HA42	71B6	4300	88-89	
20.4	112	1.2	44.10			4300		
18.5	124	1.0	48.75			4300		
14.8	154	0.9	60.67			4300		
27.3	82	1.8	51.32	HA43	71A4	4300	90-91	
23.5	96	1.6	59.65			4300		
19.4	116	1.3	72.27			4300		
15.6	144	1.0	89.94			4300		
12.7	177	0.8	110.51			4300		
15.9	141	2.1	88.02	HA53	71A4	6000	96-97	
12.5	179	1.7	111.61			6000		
10.1	222	1.3	138.71			6000		
8.6	261	1.1	163.05			6000		
7.0	321	0.9	200.27			6000		
5.9	377	0.8	235.41			6000		
10.1	222	2.2	138.71	HA63	71A4	8000	102-103	
8.6	261	1.8	163.05			8000		
7.0	321	1.5	200.27			8000		
5.9	377	1.3	235.41			8000		
4.9	457	1.1	284.81			8000		
4.0	567	0.8	353.98			8000		



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)				
0.25	26.1	86	2.3	53.59	H033	71A4	5500	106-107			
	21.0	107	1.87	66.78			5500				
	18.7	120	1.67	74.84			5500				
	14.1	159	1.26	99.27			5500				
	13.0	173	1.15	108.05			5500				
	11.3	198	1.01	123.71	5500						
	18.3	123	2.4	76.67	H043	71A4	6600	110-111			
	16.1	140	2.15	87.05			6600				
	12.2	184	1.63	114.55			6600				
	11.1	201	1.49	125.69			6600				
	9.9	228	1.32	142.04			6600				
	8.5	265	1.13	165.38			6600				
	6.8	329	0.91	205.07			6600				
	8.9	252	2.0	157.29	H053	71A4	8000	114-115			
	7.2	312	1.60	194.56			8000				
6.5	347	1.44	216.38	8000							
5.2	429	1.17	267.65	8000							
6.5	345	2.5	215.21	H063	71A4	12000	118-119				
6.0	376	2.26	234.67			12000					
5.2	430	1.98	268.00			12000					
0.37	260.3	13	6.1	5.38	HA32	71B4	1096	82-83			
	214.8	16	5.1	6.52			1169				
	172.6	20	3.8	8.11			1257				
	128.0	26	3.4	10.94			1389				
	105.7	32	2.5	13.25			1481				
	84.9	40	2.0	16.49			1593				
	69.1	49	1.8	20.26			1706				
	57.0	59	1.4	24.55			1818				
	45.8	74	1.1	30.55			1956				
	39.5	86	1.0	35.44			2000				
	31.7	107	0.8	44.10			2000				
	966.7	4	8.5	1.45			HA41		71B4	512	86-87
	475.5	7	4.2	2.94						648	
	294.7	12	2.6	4.75						760	
	256.7	13	2.2	5.45						796	
	177.8	19	1.3	7.88	900						
	69.1	49	3.1	20.26	HA42	71B4	3591	88-89			
	57.0	59	2.6	24.55			3828				
	45.8	74	1.9	30.55			4118				
	39.5	86	1.7	35.44			4300				
	31.7	107	1.3	44.10			4300				
	28.7	118	1.1	48.75			4300				
	23.1	147	1.0	60.67			4300				
	27.3	122	1.2	51.32	HA43	71B4	4300	90-91			
	23.5	142	1.1	59.65			4300				
	19.4	171	0.9	72.27			4300				
	256.7	13	3.7	5.45	HA51	71B4	2194	92-93			
	177.8	19	2.1	7.88			2479				
	129.2	27	0.9	10.83			2757				




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.37	30.1	113	2.7	29.89	HA52	80A6	5921	94-95
	24.9	136	2.2	36.17			6000	
	20.0	169	1.7	44.95			6000	
	18.1	188	1.6	49.78			6000	
	14.5	233	1.2	61.87			6000	
	23.2	143	2.1	60.25	HA53	71B4	6000	96-97
	18.7	178	1.7	74.88			6000	
	15.9	209	1.4	88.02			6000	
	12.5	265	1.1	111.61			6000	
	10.1	329	0.9	138.71			6000	
	8.6	387	0.8	163.05			6000	
	15.9	209	2.3	88.02	HA63	71B4	8000	102-103
	12.5	265	1.8	111.61			8000	
	10.1	329	1.5	138.71			8000	
	8.6	387	1.2	163.05			8000	
	7.0	475	1.0	200.27			8000	
	5.9	558	0.9	235.41			8000	
	36.9	92	2.2	37.92	H032	71B4	5500	106-107
	33.8	100	1.99	41.40			5500	
	29.6	114	1.75	47.25			5500	
	26.1	127	1.6	53.59	H033	71B4	5500	106-107
	21.0	158	1.26	66.78			5500	
	18.7	178	1.13	74.84			5500	
	14.1	236	0.85	99.27			5500	
	229.9	15	3.4	6.09	H041	71B4	1000	108-109
	182.6	19	2.66	7.67			1000	
	160.0	21	2.57	8.75			1000	
	29.5	115	2.4	47.53	H042	71B4	6600	110-111
	25.8	131	2.13	54.25			6600	
	22.6	147	2.0	61.83	H043	71B4	6600	110-111
	18.3	182	1.65	76.67			6600	
	16.1	207	1.45	87.05			6600	
	12.2	272	1.10	114.55			6600	
	11.1	298	1.01	125.69			6600	
	12.9	258	1.9	108.95	H053	71B4	8000	114-115
	10.4	320	1.56	134.76			8000	
	8.9	373	1.34	157.29			8000	
	7.2	462	1.08	194.56			8000	
	6.5	513	0.97	216.38			8000	
	8.2	405	2.1	170.67	H063	71B4	12000	118-119
	7.5	442	1.92	186.18			12000	
	6.5	511	1.66	215.21			12000	
	6.0	557	1.53	234.67			12000	
	5.2	636	1.34	268.00			12000	
0.55	260.3	19	4.1	5.38	HA32	80A4	1096	82-83
	214.8	23	3.4	6.52			1169	
	172.6	29	2.6	8.11			1257	
	128.0	39	2.3	10.94			1389	
	105.7	48	1.7	13.25			1481	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.55	84.9	59	1.3	16.49	HA32	80A4	1593	82-83
	69.1	73	1.2	20.26			1706	
	57.0	88	1.0	24.55			1818	
	167.3	30	2.7	5.38	HA32	80B6	1270	82-83
	138.1	37	2.2	6.52			1354	
	111.0	45	1.7	8.11			1457	
	82.3	61	1.5	10.94			1609	
	67.9	74	1.1	13.25			1716	
	54.6	92	0.9	16.49			1845	
	44.4	114	0.8	20.26			1976	
	966.7	5	4.7	1.45	HA41	80A4	512	86-87
	475.5	11	2.3	2.94			648	
	294.7	17	1.7	4.75			760	
	256.7	20	1.5	5.45			796	
	69.1	73	2.1	20.26	HA42	80A4	3591	88-89
	57.0	88	1.8	24.55			3828	
	45.8	110	1.3	30.55			4118	
	36.7	138	1.1	24.55	HA42	80B6	4300	88-89
	29.5	171	0.8	30.55			4300	
	475.5	11	3.7	2.94	HA51	80A4	1786	92-93
	294.7	17	2.9	4.75			2095	
	256.7	20	2.5	5.45			2194	
	38.7	130	2.3	36.17	HA52	80A4	5445	94-95
	31.1	162	1.7	44.95			5855	
	28.1	179	1.7	49.78			6000	
	22.6	223	1.3	61.87			6000	
	30.1	167	1.8	29.89	HA52	80B6	5921	94-95
	24.9	203	1.5	36.17			6000	
	20.0	252	1.1	44.95			6000	
	18.1	279	1.1	49.78			6000	
	14.5	347	0.8	61.87			6000	
	28.1	176	1.7	49.80	HA53	80A4	6000	96-97
	23.2	212	1.4	60.25			6000	
	18.7	264	1.1	74.88			6000	
	15.9	310	1.0	88.02			6000	
	12.5	394	0.8	111.61			6000	
	180.6	28	3.2	7.75	HA61	80A4	3691	98-99
	131.3	39	1.8	10.67			4106	
	20.0	252	1.7	44.95	HA62	80B6	8000	100-101
	18.1	279	1.3	49.78			8000	
	14.5	347	1.3	61.87			8000	
	18.7	264	1.8	74.88	HA63	80A4	8000	102-103
	15.9	310	1.5	88.02			8000	
	12.5	394	1.2	111.61			8000	
	10.1	489	1.0	138.71			8000	
	8.6	575	0.8	163.05			8000	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.55	53.0	95	2.1	26.39	H032	80A4	5500	106-107
	47.1	107	1.87	29.70			5500	
	42.6	118	1.69	32.89			5500	
	36.9	137	1.46	37.92			5500	
	33.8	149	1.34	41.40			5500	
	29.6	170	1.18	47.25			5500	
	26.1	189	1.1	53.59	H033	80A4	5500	106-107
	21.0	236	0.85	66.78			5500	
	280.0	18	2.5	5.00	H041	80A4	990	108-109
	254.5	20	2.50	5.50			1000	
	229.9	22	2.26	6.09			1000	
	182.6	28	1.79	7.67			1000	
	160.0	32	1.73	8.75			1000	
	41.1	123	2.3	34.10	H042	80A4	6600	110-111
	37.1	136	2.06	37.76			6600	
	32.0	158	1.78	43.75			6600	
	29.5	171	1.64	47.53			6600	
	25.8	195	1.43	54.25			6600	
	22.6	218	1.4	61.83	H043	80A4	6600	110-111
	18.3	270	1.11	76.67			6600	
	16.1	307	0.98	87.05			6600	
	19.2	257	1.9	72.75	H053	80A4	8000	114-115
	15.5	319	1.57	90.51			8000	
	12.9	384	1.30	108.95			8000	
	10.4	475	1.05	134.76			8000	
	10.3	478	1.8	135.40	H063	80A4	12000	118-119
	9.4	527	1.61	149.51			12000	
	8.2	602	1.41	170.67			12000	
	7.5	657	1.29	186.18			12000	
	6.5	759	1.12	215.21			12000	
	6.0	828	1.03	234.67			12000	
	5.2	945	0.90	268.00			12000	
	6.3	786	2.3	222.78	H083	80A4	18000	122-123
0.75	260.3	26	3.0	5.38	HA32	80B4	1096	82-83
	214.8	32	2.5	6.52			1169	
	172.6	40	1.9	8.11			1257	
	128.0	54	1.7	10.94			1389	
	105.7	65	1.2	13.25			1481	
	84.9	81	1.0	16.49			1593	
	69.1	100	0.9	20.26			1706	
	966.7	7	3.5	1.45	HA41	80B4	512	86-87
	475.5	15	1.7	2.94			648	
	294.7	24	1.3	4.75			760	
	256.7	27	1.1	5.45			796	
	105.7	65	2.2	13.25	HA42	80B4	3117	88-89
	84.9	81	1.7	16.49			3353	
	69.1	100	1.5	20.26			3591	
	57.0	121	1.3	24.55			3828	
	45.8	150	0.9	30.55			4118	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.75	44.4	155	1.0	20.26	HA42	90S6	4161	88-89
	36.7	188	0.8	24.55			4300	
	475.5	15	2.7	2.94	HA51	80B4	1786	92-93
	294.7	24	2.1	4.75			2095	
	256.7	27	1.8	5.45			2194	
	46.8	147	2.0	29.89	HA52	80B4	5110	94-95
	38.7	178	1.7	36.17			5445	
	31.1	221	1.3	44.95			5855	
	28.1	244	1.2	49.78			6000	
	22.6	304	1.0	61.87			6000	
	53.2	129	2.3	16.91			HA52	
	44.0	156	1.9	20.46	5218			
	35.4	194	1.4	25.43	5610			
	30.1	228	1.3	29.89	5921			
	24.9	276	1.1	36.17	6000			
	20.0	343	0.8	44.95	6000			
	28.1	239	1.3	49.80	HA53	80B4		6000
	23.2	290	1.0	60.25			6000	
	18.7	360	0.8	74.88			6000	
	319.3	22	5.1	4.38	HA61	80B4	3053	98-99
	180.6	38	2.3	7.75			3691	
	131.3	53	1.3	10.67			4106	
	28.1	244	1.5	49.78	HA62	80B4	8000	100-101
	22.6	304	1.4	61.87			8000	
	30.1	228	2.0	29.89	HA62	90S6	8000	100-101
	24.9	276	1.7	36.17			8000	
	20.0	343	1.3	44.95			8000	
	18.1	380	1.0	49.78			8000	
	14.5	473	0.9	61.87			8000	
	28.1	239	2.0	49.80			HA63	
	23.2	290	1.7	60.25	8000			
	18.7	360	1.3	74.88	8000			
	15.9	423	1.1	88.02	8000			
	12.5	537	0.9	111.61	8000			
	70.4	98	2.0	19.90	H032	80B4		5440
	58.7	117	1.71	23.83			5500	
	53.0	130	1.54	26.39			5500	
	47.1	146	1.37	29.70			5500	
	42.6	162	1.24	32.89			5500	
	36.9	186	1.07	37.92			5500	
	33.8	203	0.98	41.40			5500	
	29.6	232	0.86	47.25			5500	
	333.3	21	2.2	4.20			H041	80B4
	280.0	25	1.81	5.00	960			
	254.5	27	1.83	5.50	983			
	229.9	30	1.65	6.09	1000			
	182.6	38	1.31	7.67	1000			
	160.0	43	1.27	8.75	1000			




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.75	46.0	150	1.9	30.45	H042	80B4	6600	110-111
	41.1	167	1.67	34.10			6600	
	37.1	185	1.51	37.76			6600	
	32.0	215	1.30	43.75			6600	
	29.5	233	1.20	47.53			6600	
	25.8	266	1.05	54.25			6600	
22.6	297	1.0	61.83	H043	80B4	6600	110-111	
28.5	241	2.0	49.13	H052	80B4	8000	114-115	
24.9	276	1.78	56.11			8000		
23.8	283	1.8	58.81	H053	80B4	8000	114-115	
19.2	350	1.43	72.75			8000		
15.5	435	1.15	90.51			8000		
12.9	524	0.95	108.95			8000		
14.8	456	1.9	94.76	H063	80B4	12000	118-119	
11.9	567	1.50	118.00			12000		
10.3	651	1.31	135.40			12000		
9.4	719	1.18	149.51			12000		
8.2	821	1.04	170.67			12000		
7.5	895	0.95	186.18			12000		
7.8	861	2.1	179.13	H083	80B4	18000	122-123	
7.2	938	1.92	195.07			18000		
6.3	1071	1.68	222.78			18000		
0.92	260.3	32	2.5	5.38	HA32	80C4	1096	82-83
	214.8	39	2.0	6.52			1169	
	172.6	49	1.5	8.11			1257	
	128.0	66	1.4	10.94			1389	
	105.7	80	1.0	13.25			1481	
	966.7	9	2.8	1.45	HA41	80C4	512	86-87
	475.5	18	1.4	2.94			648	
	294.7	29	1.0	4.75			760	
	105.7	80	1.8	13.25	HA42	80C4	3117	88-89
	84.9	99	1.4	16.49			3353	
	69.1	122	1.2	20.26			3591	
	57.0	148	1.0	24.55			3828	
	475.5	18	2.2	2.94	HA51	80C4	1786	92-93
	294.7	29	1.7	4.75			2095	
	256.7	33	1.5	5.45			2194	
	46.8	180	1.7	29.89	HA52	80C4	5110	94-95
	38.7	218	1.4	36.17			5445	
	31.1	271	1.0	44.95			5855	
28.1	300	1.0	49.78	6000				
28.1	294	1.0	49.80	HA53	80C4	6000	96-97	
23.2	355	0.8	60.25			6000		
319.3	27	4.1	4.38	HA61	80C4	3053	98-99	
180.6	47	1.9	7.75			3691		
131.3	65	1.1	10.67			4106		



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)				
0.92	38.7	218	2.2	36.17	HA62	80C4	8000	100-101			
	31.1	271	1.6	44.95			8000				
	28.1	300	1.2	49.78			8000				
	22.6	373	1.2	61.87			8000				
	28.1	294	1.6	49.80	HA63	80C4	8000	102-103			
	23.2	355	1.4	60.25			8000				
	18.7	442	1.1	74.88			8000				
	15.9	519	0.9	88.02			8000				
	119.0	71	2.0	11.76	H032	80C4	4691	106-107			
	102.0	83	2.06	13.72			4851				
	95.5	88	1.93	14.66			4918				
	76.9	110	1.55	18.20			5129				
	70.4	120	1.67	19.90			5209				
	61.7	137	1.46	22.68			5320				
	58.7	144	1.39	23.83			5359				
	53.0	159	1.26	26.39			5433				
	47.1	179	1.12	29.70			5500				
	42.6	198	1.01	32.89			5500				
	36.9	228	0.88	37.92			5500				
	973.9	9	2.9	1.44			H041		80C4	672	108-109
	700.0	12	2.05	2.00						738	
	550.0	15	1.94	2.55	788						
	515.8	17	1.82	2.71	802						
	450.8	19	2.12	3.11	831						
	390.2	22	2.06	3.59	862						
	333.3	26	1.76	4.20	896						
	280.0	30	1.48	5.00	934						
	254.5	33	1.49	5.50	954						
	229.9	37	1.35	6.09	975						
	182.6	47	1.07	7.67	1000						
	160.0	53	1.03	8.75	1000						
	66.7	127	2.0	21.00	H042	80C4		6600		110-111	
	60.5	139	1.86	23.15			6600				
	53.8	157	1.66	26.04			6600				
	50.9	166	1.69	27.50			6600				
	46.0	183	1.53	30.45			6600				
	41.1	205	1.36	34.10			6600				
	37.1	228	1.23	37.76			6600				
	32.0	264	1.06	43.75			6600				
	29.5	286	0.98	47.53			6600				
	190.9	45	2.2	7.33			H051	80C4	2500		112-113
	167.2	51	1.96	8.38	2500						
	30.9	273	1.8	45.36	H052	80C4	8000	114-115			
	28.5	296	1.66	49.13			8000				
	24.9	338	1.45	56.11			8000				
	23.8	347	1.4	58.81	H053	80C4	8000	114-115			
	19.2	429	1.17	72.75			8000				
	15.5	534	0.94	90.51			8000				
	16.3	506	1.7	85.82	H063	80C4	12000	118-119			
	14.8	559	1.52	94.76			12000				
	11.9	696	1.22	118.00			12000				
	10.3	799	1.06	135.40			12000				
	9.4	882	0.96	149.51			12000				




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)				
0.92	9.0	913	2.0	154.76	H083	80C4	18000	122-123			
	8.6	958	1.88	162.35			18000				
	7.8	1057	1.70	179.13			18000				
	7.2	1151	1.56	195.07			18000				
	6.3	1314	1.37	222.78			18000				
1.1	260.3	39	3.6	5.38	HA42	90S4	2308	88-89			
	214.8	47	3.0	6.52			2461				
	172.6	58	2.2	8.11			2647				
	128.0	79	1.9	10.94			2924				
	105.7	95	1.5	13.25			3117				
	84.9	119	1.2	16.49			3353				
	69.1	146	1.0	20.26			3591				
	57.0	177	0.9	24.55			3828				
	475.5	21	1.9	2.94			HA51		90S4	1786	92-93
	294.7	35	1.4	4.75						2095	
256.7	40	1.3	5.45	2194							
145.2	69	4.3	9.64	HA52	90S4	3505	94-95				
120.0	84	3.3	11.67			3735					
96.6	104	2.7	14.50			4015					
82.8	122	2.5	16.91			4227					
68.4	147	2.0	20.46			4504					
55.1	183	1.5	25.43			4842					
46.8	215	1.4	29.89			5110					
38.7	261	1.2	36.17			5445					
31.1	324	0.9	44.95			5855					
319.3	32	3.4	4.38			HA61		90S4	3053	98-99	
180.6	56	1.6	7.75	3691							
131.3	78	0.9	10.67	4106							
55.1	183	2.3	25.43	HA62	90S4	7147	100-101				
46.8	215	2.1	29.89			7543					
38.7	261	1.8	36.17			8000					
31.1	324	1.4	44.95			8000					
28.1	359	1.0	49.78			8000					
22.6	446	1.0	61.87			8000					
28.1	351	1.4	49.80	HA63	90S4	8000	102-103				
23.2	425	1.1	60.25			8000					
18.7	528	0.9	74.88			8000					
157.9	64	2.0	8.87	H032	90S4	4280	106-107				
138.0	73	1.92	10.14			4409					
119.0	85	1.71	11.76			4547					
102.0	99	1.72	13.72			4683					
95.5	106	1.61	14.66			4739					
83.5	121	1.57	16.77			4845					
76.9	131	1.30	18.20			4905					
70.4	143	1.40	19.90			4965					
61.7	163	1.22	22.68			5042					
58.7	172	1.16	23.83			5067					
53.0	190	1.05	26.39			5110					
47.1	214	0.93	29.70			5144					
42.6	237	0.84	32.89			5157					



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.1	973.9	10	2.4	1.44	H041	90S4	664	108-109
	700.0	15	1.72	2.00			727	
	550.0	19	1.62	2.55			774	
	515.8	20	1.52	2.71			787	
	450.8	23	1.77	3.11			814	
	390.2	26	1.72	3.59			842	
	333.3	31	1.47	4.20			873	
	280.0	36	1.24	5.00			906	
	254.5	40	1.25	5.50			923	
	229.9	44	1.13	6.09			941	
	182.6	56	0.90	7.67			979	
	160.0	64	0.86	8.75			997	
	87.7	115	2.2	15.96			H042	
73.7	137	1.83	19.00			6600		
66.7	151	1.65	21.00			6600		
60.5	167	1.56	23.15			6600		
53.8	188	1.39	26.04			6600		
50.9	198	1.41	27.50			6600		
46.0	219	1.28	30.45			6600		
41.1	246	1.14	34.10			6600		
37.1	272	1.03	37.76			6600		
190.9	53	1.9	7.33	H051	90S4	2500	112-113	
167.2	61	1.64	8.38			2500		
44.4	227	2.2	31.52	H052	90S4	8000	114-115	
42.4	238	2.06	33.00			8000		
35.9	281	1.74	38.98			8000		
30.9	327	1.50	45.36			8000		
28.5	354	1.38	49.13			8000		
24.9	404	1.21	56.11			8000		
23.8	415	1.2	58.81	H053	90S4	8000	114-115	
19.2	513	0.97	72.75			8000		
20.6	480	1.8	68.00	H063	90S4	12000	118-119	
16.3	605	1.40	85.82			12000		
14.8	668	1.27	94.76			12000		
11.9	832	1.02	118.00			12000		
14.3	692	2.6	98.09	H083	90S4	18000	122-123	
12.4	796	2.26	112.78			18000		
11.3	878	2.05	124.44			18000		
9.8	1003	1.80	142.15			18000		
9.0	1092	1.65	154.76			18000		
8.6	1145	1.57	162.35			18000		
7.8	1263	1.42	179.13			18000		
7.2	1376	1.31	195.07			18000		
6.3	1571	1.15	222.78			18000		
1.5	260.3	53	2.6	5.38	HA42	90L4	2308	88-89
	214.8	64	2.2	6.52			2461	
	172.6	80	1.6	8.11			2647	
	128.0	107	1.4	10.94			2924	
	105.7	130	1.1	13.25			3117	
	84.9	162	0.9	16.49			3353	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)				
1.5	966.7	14	2.8	1.45	HA51	90L4	1410	92-93			
	475.5	29	1.4	2.94			1786				
	294.7	47	1.1	4.75			2095				
	256.7	54	0.9	5.45			2194				
	145.2	95	3.2	9.64	HA52	90L4	3505	94-95			
	120.0	115	2.4	11.67			3735				
	96.6	142	2.0	14.50			4015				
	82.8	166	1.8	16.91			4227				
	68.4	201	1.4	20.46			4504				
	55.1	250	1.1	25.43			4842				
	46.8	294	1.0	29.89			5110				
	560.0	25	3.6	2.50	HA61	90L4	2531	98-99			
	319.3	44	2.5	4.38			3053				
	180.6	77	1.2	7.75			3691				
	131.3	106	0.7	10.67			4106				
	55.1	250	1.7	25.43	HA62	90L4	7147	100-101			
	46.8	294	1.5	29.89			7543				
	38.7	355	1.3	36.17			8000				
	31.1	442	1.0	44.95			8000				
	28.1	479	1.0	49.80	HA63	90L4	8000	102-103			
	23.2	579	0.8	60.25			8000				
	298.1	46	2.1	4.70	H032	90L4	3529	106-107			
	224.7	61	1.72	6.23			3764				
	180.4	76	1.64	7.76			3939				
	157.9	87	1.49	8.87			4039				
	138.0	100	1.41	10.14			4133				
	119.0	116	1.26	11.76			4226				
	102.0	135	1.26	13.72			4309				
	95.5	144	1.18	14.66			4339				
	83.5	165	1.15	16.77			4389				
	76.9	179	0.95	18.20			4410				
	70.4	195	1.02	19.90			4423				
	61.7	223	0.90	22.68			4424				
	58.7	234	0.85	23.83			4418				
	973.9	14	1.8	1.44			H041		90L4	646	108-109
	700.0	20	1.26	2.00	702						
	550.0	25	1.19	2.55	743						
	515.8	27	1.11	2.71	754						
	450.8	31	1.30	3.11	775						
	390.2	36	1.26	3.59	798						
	333.3	42	1.08	4.20	821						
	280.0	50	0.91	5.00	844						
	254.5	55	0.92	5.50	856						
	103.2	133	1.9	13.57	H042	90L4		5968		110-111	
	87.7	157	1.59	15.96				6163			
	73.7	187	1.34	19.00			6357				
	66.7	206	1.21	21.00			6459				
	60.5	227	1.14	23.15			6551				
	53.8	256	1.02	26.04			6600				
	50.9	270	1.04	27.50			6600				
	46.0	299	0.94	30.45			6600				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.5	293.5	47	2.0	4.77	H051	90L4	2370	112-113
	266.7	52	1.92	5.25			2432	
	240.6	58	1.73	5.82			2500	
	190.9	73	1.37	7.33			2500	
	167.2	83	1.20	8.38			2500	
	56.7	243	1.9	24.71	H052	90L4	8000	114-115
	53.5	257	1.91	26.18			8000	
	49.2	279	1.75	28.44			8000	
	44.4	310	1.58	31.52			8000	
	42.4	324	1.51	33.00			8000	
35.9	383	1.28	38.98	8000				
30.9	446	1.10	45.36	8000				
28.5	483	1.02	49.13	8000				
24.9	551	0.9	56.11	8000				
167.2	83	2.0	8.38	H061	90L4	3700	116-117	
37.8	363	2.2	36.99	H062	90L4	12000	118-119	
34.7	396	2.15	40.33			12000		
30.4	452	1.88	46.06			12000		
28.3	476	1.8	49.45	H063	90L4	12000	118-119	
25.6	525	1.62	54.61			12000		
20.6	654	1.30	68.00			12000		
16.3	825	1.03	85.82			12000		
17.8	759	2.4	78.87	H083	90L4	18000	122-123	
14.3	943	1.91	98.09			18000		
12.4	1085	1.66	112.78			18000		
11.3	1197	1.50	124.44			18000		
9.8	1367	1.32	142.15			18000		
9.0	1489	1.21	154.76			18000		
8.6	1561	1.15	162.35			18000		
7.8	1723	1.04	179.13			18000		
7.2	1876	0.96	195.07			18000		
6.5	2072	1.7	215.45			H103		90L4
5.8	2333	1.54	242.59	22000				
1.84	260.3	65	2.2	5.38	HA42	90LL4	2308	88-89
	214.8	79	1.8	6.52			2461	
	172.6	98	1.3	8.11			2647	
	128.0	132	1.1	10.94			2924	
	105.7	160	0.9	13.25			3117	
	966.7	18	2.3	1.45	HA51	90LL4	1410	92-93
	475.5	36	1.1	2.94			1786	
	294.7	58	0.9	4.75			2095	
	181.0	93	2.6	7.73	HA52	90LL4	3256	94-95
	145.2	116	2.6	9.64			3505	
120.0	141	2.0	11.67	3735				
96.6	175	1.6	14.50	4015				
82.8	204	1.5	16.91	4227				
68.4	247	1.2	20.46	4504				
55.1	306	0.9	25.43	4842				
46.8	360	0.8	29.89	5110				




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.84	560.0	30	3.0	2.50	HA61	90LL4	2531	98-99
	319.3	53	2.1	4.38			3053	
	180.6	94	1.0	7.75			3691	
	68.4	247	1.9	20.46	HA62	90LL4	6647	100-101
	55.1	306	1.4	25.43			7147	
	46.8	360	1.2	29.89			7543	
	38.7	436	1.1	36.17			8000	
	31.1	542	0.8	44.95			8000	
	298.1	57	1.7	4.70	H032	90LL4	3420	106-107
	224.7	75	1.40	6.23			3620	
	180.4	94	1.34	7.76			3759	
	157.9	107	1.22	8.87			3833	
	138.0	122	1.15	10.14			3898	
	119.0	142	1.02	11.76			3954	
	102.0	165	1.03	13.72			3991	
	95.5	177	0.96	14.66			4000	
	83.5	202	0.94	16.77			4000	
	76.9	219	0.78	18.20			3988	
	70.4	240	0.83	19.90			3963	
	194.8	87	1.8	7.19			H042	
	157.1	107	1.96	8.91	5267			
	135.7	124	1.93	10.31	5431			
	118.6	142	1.76	11.80	5576			
	103.2	164	1.53	13.57	5718			
	87.7	192	1.30	15.96	5868			
	73.7	229	1.09	19.00	6006			
	66.7	253	0.99	21.00	6072			
	60.5	279	0.93	23.15	6124			
	53.8	314	0.83	26.04	6169			
	50.9	331	0.85	27.50	6182			
	442.1	39	2.1	3.17	H051	90LL4		2083
	379.7	45	2.00	3.69			2171	
	350.0	49	1.85	4.00			2219	
	293.5	58	1.64	4.77			2324	
	266.7	64	1.56	5.25			2381	
	240.6	71	1.41	5.82			2443	
	190.9	89	1.12	7.33			2500	
	167.2	102	0.98	8.38			2500	
	70.1	241	1.9	19.97			H052	90LL4
	64.6	261	1.80	21.67	8000			
	56.7	298	1.58	24.71	8000			
	53.5	315	1.55	26.18	8000			
	49.2	343	1.43	28.44	8000			
	44.4	380	1.29	31.52	8000			
	42.4	398	1.23	33.00	8000			
	35.9	470	1.04	38.98	8000			
	30.9	547	0.90	45.36	8000			
	190.9	89	1.9	7.33	H061	90LL4	3700	116-117
	167.2	102	1.67	8.38			3700	
	47.7	353	2.3	29.33	H062	90LL4	12000	118-119
	43.8	386	2.20	32.00			12000	
	37.8	446	1.79	36.99			12000	
	34.7	486	1.75	40.33			12000	
	30.4	555	1.53	46.06			12000	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.84	28.3	583	1.5	49.45	H063	90LL4	12000	118-119
	25.6	644	1.32	54.61			12000	
	20.6	802	1.06	68.00			12000	
	19.6	843	2.1	71.48	H083	90LL4	18000	122-123
	17.8	931	1.93	78.87			18000	
	16.4	1009	1.78	85.56			18000	
	14.3	1157	1.56	98.09			18000	
	12.4	1331	1.35	112.78			18000	
	11.3	1468	1.23	124.44			18000	
	9.8	1677	1.07	142.15			18000	
9.0	1826	0.99	154.76	18000				
8.6	1915	0.94	162.35	18000				
8.7	1897	1.8	160.82	H103	90LL4	22000	126-127	
7.7	2136	1.64	181.07			22000		
7.2	2291	1.53	194.21			22000		
6.5	2542	1.38	215.45			22000		
5.8	2862	1.26	242.59			22000		
2.2	272.2	74	3.2	5.14	HA52	100LA4	2842	94-95
	225.0	90	2.7	6.22			3029	
	181.0	111	2.2	7.73			3256	
	145.2	139	2.2	9.64			3505	
	120.0	168	1.7	11.67			3735	
	96.6	209	1.3	14.50			4015	
	82.8	244	1.2	16.91			4227	
	68.4	295	1.0	20.46			4504	
	1050.0	19	4.6	1.33	HA61	100LA4	2053	98-99
	560.0	36	2.5	2.50			2531	
319.3	64	1.7	4.38	3053				
96.6	209	2.0	14.50	HA62	100LA4	5926	100-101	
82.8	244	2.1	16.91			6238		
68.4	295	1.6	20.46			6647		
55.1	366	1.2	25.43			7147		
298.1	68	1.4	4.70	H032	100LA4	3305	106-107	
224.7	90	1.17	6.23			3467		
180.4	112	1.12	7.76			3569		
157.9	128	1.02	8.87			3616		
256.3	79	2.0	5.46	H042	100LA4	4586	110-111	
194.8	104	1.55	7.19			4877		
157.1	128	1.64	8.91			5093		
135.7	149	1.62	10.31			5229		
118.6	170	1.47	11.80			5345		
103.2	196	1.28	13.57			5452		
87.7	230	1.09	15.96			5556		
73.7	274	0.91	19.00			5634		
1100.0	19	2.2	1.27	H051	100LA4	1585	112-113	
986.4	21	2.90	1.42			1637		
658.8	31	1.94	2.13			1838		
544.4	37	1.87	2.57			1938		
442.1	46	1.74	3.17			2050		




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
2.2	379.7	54	1.68	3.69	H051	100LA4	2133	112-113
	350.0	58	1.55	4.00			2178	
	293.5	69	1.37	4.77			2274	
	266.7	76	1.31	5.25			2327	
	240.6	85	1.18	5.82			2383	
98.3	205	2.1	14.24	H052	100LA4	7518	114-115	
84.4	239	1.88	16.59			7752		
77.8	259	1.77	18.00			7871		
70.1	288	1.60	19.97			8000		
64.6	312	1.51	21.67			8000		
56.7	356	1.32	24.71			8000		
53.5	377	1.30	26.18			8000		
49.2	410	1.20	28.44			8000		
44.4	454	1.08	31.52			8000		
293.5	69	2.3	4.77	H061	100LA4	3663	116-117	
266.7	76	2.22	5.25			3700		
240.6	85	2.01	5.82			3700		
190.9	107	1.59	7.33			3700		
167.2	122	1.39	8.38			3700		
47.7	423	1.9	29.33	H062	100LA4	12000	118-119	
43.8	461	1.84	32.00			12000		
37.8	533	1.50	36.99			12000		
34.7	581	1.46	40.33			12000		
30.4	664	1.28	46.06			12000		
28.3	698	1.2	49.45	H063	100LA4	12000	118-119	
25.6	770	1.10	54.61			12000		
36.2	558	2.9	38.70	H082	100LA4	18000	122-123	
32.7	616	2.60	42.75			18000		
29.1	693	2.31	48.13			18000		
24.8	797	2.0	56.53	H083	100LA4	18000	122-123	
19.6	1008	1.79	71.48			18000		
17.8	1113	1.62	78.87			18000		
16.4	1207	1.49	85.56			18000		
14.3	1384	1.30	98.09			18000		
12.4	1591	1.13	112.78			18000		
11.3	1756	1.03	124.44			18000		
9.8	2005	0.90	142.15			18000		
9.8	2023	1.7	143.42			H103		100LA4
8.7	2269	1.54	160.82	22000				
7.7	2554	1.37	181.07	22000				
7.2	2740	1.28	194.21	22000				
6.5	3039	1.15	215.45	22000				
5.8	3422	1.05	242.59	22000				
9.0	2190	2.3	155.22	H123	100LA4	30000	130-131	
8.1	2438	2.05	172.80			30000		
7.4	2669	1.87	189.19			30000		
6.7	2926	1.71	207.43			30000		
6.1	3258	1.53	230.92			30000		
5.4	3663	1.37	259.64			30000		



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
3	272.2	101	2.4	5.14	HA52	100LB4	2842	94-95
	225.0	122	2.0	6.22			3029	
	181.0	152	1.6	7.73			3256	
	145.2	189	1.6	9.64			3505	
	120.0	229	1.2	11.67			3735	
	96.6	285	1.0	14.50			4015	
	82.8	332	0.9	16.91			4227	
1050.0	26	3.4	1.33	HA61	100LB4	2053	98-99	
560.0	50	1.8	2.50			2531		
319.3	87	1.3	4.38			3053		
120.0	229	1.9	11.67	HA62	100LB4	5512	100-101	
96.6	285	1.5	14.50			5926		
82.8	332	1.5	16.91			6238		
68.4	402	1.1	20.46			6647		
55.1	500	0.9	25.43			7147		
298.1	92	1.0	4.70	H032	100LB4	3050	106-107	
224.7	122	0.86	6.23			3128		
180.4	152	0.82	7.76			3146		
256.3	107	1.5	5.46	H042	100LB4	4349	110-111	
194.8	141	1.13	7.19			4564		
157.1	175	1.20	8.91			4705		
135.7	203	1.18	10.31			4781		
118.6	232	1.08	11.80			4832		
103.2	267	0.94	13.57			4863		
1100.0	25	1.6	1.27	H051	100LB4	1556	112-113	
986.4	28	2.13	1.42			1604		
658.8	42	1.42	2.13			1789		
544.4	51	1.37	2.57			1879		
442.1	63	1.27	3.17			1977		
379.7	73	1.23	3.69			2048		
350.0	79	1.13	4.00			2086		
293.5	95	1.00	4.77			2165		
266.7	104	0.96	5.25			2206		
240.6	115	0.87	5.82			2249		
244.4	113	2.3	5.73			H052		100LB4
203.1	135	2.14	6.89	6091				
164.2	168	2.03	8.53	6386				
146.4	188	1.97	9.56	6539				
121.6	226	1.72	11.51	6775				
98.3	280	1.54	14.24	7019				
84.4	326	1.38	16.59	7171				
77.8	354	1.30	18.00	7241				
70.1	392	1.17	19.97	7317				
64.6	426	1.10	21.67	7365				
56.7	485	0.97	24.71	7419				
53.5	514	0.95	26.18	7431				
49.2	559	0.88	28.44	7435				
544.4	51	2.4	2.57	H061	100LB4		3019	
442.1	63	2.07	3.17			3187		
379.7	73	2.05	3.69			3311		
350.0	79	1.89	4.00			3377		
293.5	95	1.69	4.77			3519		




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
3	266.7	104	1.63	5.25	H061	100LB4	3596	116-117
	240.6	115	1.47	5.82			3676	
	190.9	146	1.17	7.33			3700	
	167.2	166	1.02	8.38			3700	
	69.0	398	2.1	20.28	H062	100LB4	12000	118-119
	60.2	457	1.86	23.27			12000	
	54.5	505	1.68	25.70			12000	
	47.7	576	1.39	29.33			12000	
	43.8	629	1.35	32.00			12000	
	37.8	727	1.10	36.99			12000	
	34.7	792	1.07	40.33			12000	
	30.4	905	0.94	46.06			12000	
165.8	168	2.1	8.44	H081	100LB4	4000	120-121	
	40.7	675	2.4	34.38	H082	100LB4	18000	122-123
	36.2	760	2.10	38.70			18000	
	32.7	840	1.91	42.75			18000	
	29.1	946	1.69	48.13			18000	
	24.8	1087	1.5	56.53	H083	100LB4	18000	122-123
	19.6	1375	1.31	71.48			18000	
	17.8	1517	1.19	78.87			18000	
	11.6	2325	1.5	120.84	H103	100LB4	22000	126-127
	10.4	2579	1.36	134.06			22000	
	9.8	2759	1.27	143.42			22000	
	8.7	3094	1.13	160.82			22000	
	7.7	3483	1.00	181.07			22000	
	7.2	3736	0.94	194.21			22000	
	11.8	2282	2.2	118.62	H123	100LB4	30000	130-131
	10.9	2466	2.03	128.18			30000	
	9.7	2785	1.80	144.79			30000	
	9.0	2986	1.67	155.22			30000	
	8.1	3324	1.50	172.80			30000	
	7.4	3639	1.37	189.19			30000	
	6.7	3990	1.25	207.43			30000	
	6.1	4442	1.13	230.92			30000	
	5.4	4994	1.00	259.64			30000	
	4	272.2	135	1.8			5.14	
225.0		163	1.5	6.22	3029			
181.0		203	1.2	7.73	3256			
145.2		253	1.2	9.64	3505			
120.0		306	0.9	11.67	3735			
	1050.0	35	2.6	1.33	HA61	112M4	2053	98-99
	560.0	66	1.4	2.50			2531	
	319.3	116	0.9	4.38			3053	
	181.0	203	1.9	7.73	HA62	112M4	4806	100-101
	145.2	253	1.8	9.64			5173	
	120.0	306	1.4	11.67			5512	
	96.6	380	1.1	14.50			5926	
	82.8	443	1.1	16.91			6238	
	68.4	536	0.9	20.46			6647	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
4	256.3	143	1.1	5.46	H042	112M4	4052	110-111
	194.8	188	0.85	7.19			4174	
	157.1	233	0.90	8.91			4221	
	135.7	270	0.89	10.31			4221	
1100.0	34	1.2	1.27	H051	112M4	1519	112-113	
986.4	38	1.60	1.42			1564		
658.8	56	1.07	2.13			1728		
544.4	68	1.03	2.57			1805		
244.4	150	1.7	5.73	H052	112M4	5579	114-115	
203.1	181	1.61	6.89			5790		
164.2	223	1.52	8.53			6013		
146.4	250	1.48	9.56			6121		
121.6	302	1.29	11.51			6272		
98.3	373	1.15	14.24			6397		
84.4	435	1.04	16.59			6445		
77.8	471	0.98	18.00			6453		
70.1	523	0.88	19.97			6444		
64.6	568	0.83	21.67			6418		
1041.9	36	2.2	1.34			H061		112M4
658.8	56	2.13	2.13	2788				
544.4	68	1.76	2.57	2922				
442.1	84	1.55	3.17	3068				
379.7	98	1.54	3.69	3173				
350.0	106	1.42	4.00	3227				
293.5	126	1.27	4.77	3340				
266.7	139	1.22	5.25	3399				
240.6	154	1.10	5.82	3458				
190.9	194	0.88	7.33	3574				
110.5	332	2.1	12.67	H062	112M4		12000	
94.9	386	1.81	14.75			12000		
86.0	427	1.88	16.29			12000		
79.2	463	1.79	17.67			12000		
69.0	531	1.60	20.28			12000		
60.2	610	1.39	23.27			12000		
54.5	673	1.26	25.70			12000		
47.7	768	1.04	29.33			12000		
43.8	838	1.01	32.00			12000		
186.7	199	1.8	7.50	H081	112M4	4000	120-121	
165.8	224	1.57	8.44			4000		
40.7	900	1.8	34.38	H082	112M4	18000	122-123	
36.2	1014	1.58	38.70			18000		
32.7	1120	1.43	42.75			18000		
29.1	1261	1.27	48.13			18000		
24.8	1450	1.1	56.53	H083	112M4	18000	122-123	
19.6	1833	0.98	71.48			18000		
40.9	896	3.6	34.20	H102	112M4	22000	126-127	
36.4	1007	2.78	38.45			22000		
33.9	1082	3.05	41.30			22000		
30.6	1200	2.75	45.82			22000		
27.2	1349	2.45	51.52			22000		




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)					
4	17.5	2047	1.7	79.82	H103	112M4	22000	126-127				
	16.6	2159	1.62	84.16			22000					
	15.0	2395	1.46	93.36			22000					
	14.0	2567	1.36	100.07			22000					
	11.6	3099	1.13	120.84			22000					
	10.4	3438	1.02	134.06			22000					
	9.8	3678	0.95	143.42			22000					
	16.8	2137	2.3	83.34	H123	112M4	30000	130-131				
	15.6	2308	2.17	89.97			30000					
	14.0	2572	1.94	100.29			30000					
	12.9	2779	1.80	108.34			30000					
	11.8	3042	1.64	118.62			30000					
	10.9	3288	1.52	128.18			30000					
	9.7	3714	1.35	144.79			30000					
	9.0	3981	1.26	155.22			30000					
	8.1	4432	1.13	172.80			30000					
	7.4	4853	1.03	189.19			30000					
	6.7	5320	0.94	207.43			30000					
	4.8	272.2	162	1.5			5.14		HA52	112MS4	2842	94-95
		225.0	196	1.2			6.22				3029	
181.0		243	1.0	7.73	3256							
145.2		303	1.0	9.64	3505							
120.0		367	0.8	11.67	3735							
	1050.0	42	2.1	1.33	HA61	112MS4	2053	98-99				
	560.0	79	1.1	2.50			2531					
	319.3	139	0.8	4.38			3053					
	272.2	162	2.4	5.14	HA62	112MS4	4195	100-101				
	225.0	196	1.9	6.22			4470					
	181.0	243	1.6	7.73			4806					
	145.2	303	1.5	9.64			5173					
	120.0	367	1.2	11.67			5512					
	96.6	456	0.9	14.50			5926					
256.3	172	0.9	5.46	H042	112MS4	3815	110-111					
	244.4	180	1.4	5.73	H052	112MS4	5378	114-115				
	203.1	217	1.34	6.89			5549					
	164.2	268	1.27	8.53			5714					
	146.4	301	1.23	9.56			5786					
	121.6	362	1.08	11.51			5869					
	98.3	448	0.96	14.24			5898					
	1041.9	43	1.9	1.34	H061	112MS4	2429	116-117				
	658.8	67	1.78	2.13			2724					
	544.4	82	1.47	2.57			2845					
	442.1	101	1.29	3.17			2973					
	379.7	117	1.28	3.69			3062					
	350.0	127	1.18	4.00			3107					
	293.5	151	1.06	4.77			3197					
	266.7	167	1.02	5.25			3241					
	240.6	185	0.92	5.82			3283					
		260.5	169	3.0			5.38		H062	112MS4	9750	118-119
235.9		187	2.95	5.93	10005							
189.4		232	2.37	7.39	10571							
164.7		267	2.25	8.50	10931							
149.2		295	2.03	9.39	11184							



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)				
4.8	119.8	367	1.77	11.69	H062	112MS4	11731	118-119			
	110.5	398	1.76	12.67			11925				
	94.9	464	1.51	14.75			12000				
	86.0	512	1.56	16.29			12000				
	79.2	555	1.49	17.67			12000				
	69.0	638	1.33	20.28			12000				
	60.2	732	1.16	23.27			12000				
	54.5	808	1.05	25.70			12000				
	252.8	176	1.9	5.54			H081		112MS4	4000	120-121
	230.1	193	1.76	6.08						4000	
186.7	238	1.47	7.50	4000							
165.8	268	1.30	8.44	4000							
52.6	836	1.9	26.60	H082	112MS4	18000	122-123				
50.2	876	1.83	27.88			18000					
44.9	979	1.63	31.15			18000					
40.7	1081	1.48	34.38			18000					
36.2	1217	1.32	38.70			18000					
32.7	1344	1.19	42.75			18000					
29.1	1513	1.06	48.13			18000					
24.8	1740	0.9	56.53			H083		112MS4	18000	122-123	
40.9	1075	3.0	34.20	H102	112MS4	22000	126-127				
36.4	1209	2.32	38.45			22000					
33.9	1298	2.54	41.30			22000					
30.6	1440	2.29	45.82			22000					
27.2	1619	2.04	51.52			22000					
20.1	2145	1.6	69.69			H103		112MS4	22000	126-127	
17.5	2457	1.42	79.82	22000							
15.0	2874	1.22	93.36	22000							
14.0	3080	1.14	100.07	22000							
11.6	3719	0.94	120.84	22000							
10.4	4126	0.85	134.06	22000							
16.8	2565	1.9	83.34	H123	112MS4		30000		130-131		
15.6	2769	1.81	89.97			30000					
14.0	3087	1.62	100.29			30000					
12.9	3335	1.50	108.34			30000					
11.8	3651	1.37	118.62			30000					
10.9	3945	1.27	128.18			30000					
9.7	4456	1.12	144.79			30000					
9.0	4777	1.05	155.22			30000					
8.1	5318	0.94	172.80			30000					
7.4	5823	0.86	189.19			30000					
5.5	260.5	194	2.6			5.38	H062	132S4		9607	118-119
	235.9	214	2.57			5.93				9846	
	189.4	266	2.07			7.39				10373	
	164.7	306	1.96	8.50	10704						
	149.2	338	1.77	9.39	10933						
	119.8	421	1.54	11.69	11419						
	110.5	456	1.53	12.67	11586						
	94.9	531	1.32	14.75	11883						
	86.0	587	1.36	16.29	12000						
	79.2	636	1.30	17.67	12000						
	69.0	730	1.16	20.28	12000						
	60.2	838	1.01	23.27	12000						
	54.5	926	0.92	25.70	12000						




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
5.5	1079.2	47	4.2	1.30	H081	132S4	2950	120-121
	980.0	52	4.23	1.43			3032	
	725.0	70	3.27	1.93			3297	
	550.8	92	3.03	2.54			3547	
	430.8	118	2.62	3.25			3774	
	376.1	135	2.29	3.72			3899	
	350.0	146	2.20	4.00			3965	
	300.0	170	1.88	4.67			4000	
	252.8	202	1.64	5.54			4000	
	230.1	221	1.54	6.08			4000	
	186.7	273	1.28	7.50			4000	
	165.8	307	1.14	8.44			4000	
75.6	667	2.2	18.53	H082	132S4	16554	122-123	
72.2	698	2.29	19.38			16708		
65.5	770	2.08	21.39			17034		
61.4	821	1.95	22.80			17240		
52.6	958	1.67	26.60			17710		
50.2	1004	1.59	27.88			17844		
44.9	1122	1.43	31.15			18000		
40.7	1238	1.29	34.38			18000		
36.2	1394	1.15	38.70			18000		
32.7	1540	1.04	42.75			18000		
29.1	1734	0.92	48.13			18000		
166.7	306	2.1	8.40	H101	132S4	5000		124-125
36.4	1385	2.0	38.45	H102	132S4	22000	126-127	
33.9	1488	2.22	41.30			22000		
30.6	1650	2.00	45.82			22000		
27.2	1855	1.78	51.52			22000		
20.1	2458	1.4	69.69	H103	132S4	22000	126-127	
17.5	2815	1.24	79.82			22000		
16.6	2968	1.18	84.16			22000		
15.0	3293	1.06	93.36			22000		
14.0	3529	0.99	100.07			22000		
16.8	2939	1.7	83.34	H123	132S4	30000	130-131	
15.6	3173	1.58	89.97			30000		
14.0	3537	1.41	100.29			30000		
12.9	3821	1.31	108.34			30000		
11.8	4183	1.20	118.62			30000		
10.9	4520	1.11	128.18			30000		
9.7	5106	0.98	144.79			30000		
13.4	3686	2.2	104.51	H143	132S4	55000		132-133
12.1	4088	1.96	115.92			55000		
10.9	4531	1.77	128.47			55000		
10.0	4922	1.63	139.55			55000		
9.1	5443	1.47	154.33			55000		
7.5	6558	1.22	185.96			55000		
6.8	7268	1.10	206.08			55000		
7.5	260.5	264	1.9	5.38	H062	132L4	9197	
	235.9	291	1.89	5.93			9393	
	189.4	363	1.52	7.39			9809	
	164.7	417	1.44	8.50			10055	
	149.2	461	1.30	9.39			10217	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)			
7.5	119.8	574	1.13	11.69	H062	132L4	10527	118-119		
	110.5	622	1.13	12.67			10620			
	94.9	724	0.97	14.75			10758			
	86.0	800	1.00	16.29			10816			
1079.2	64	3.1	1.30	H081	132L4	2880	120-121			
980.0	71	3.10	1.43			2955				
725.0	96	2.40	1.93			3193				
550.8	126	2.22	2.54			3411				
430.8	161	1.92	3.25			3600				
376.1	185	1.68	3.72			3700				
350.0	199	1.61	4.00			3751				
300.0	232	1.38	4.67			3855				
252.8	275	1.20	5.54			3959				
230.1	302	1.13	6.08			4000				
186.7	372	0.94	7.50			4000				
165.8	419	0.84	8.44			4000				
189.3	363	2.2	7.39			H082		132L4	12819	122-123
174.5	394	2.03	8.02						13072	
158.2	435	2.07	8.85	13376						
127.2	541	2.03	11.01	14038						
103.7	663	2.11	13.50	14629						
94.0	732	2.05	14.90	14898						
84.3	816	1.84	16.62	15182						
75.6	910	1.65	18.53	15444						
72.2	952	1.68	19.38	15547						
65.5	1051	1.52	21.39	15753						
61.4	1120	1.43	22.80	15874						
52.6	1306	1.22	26.60	16116						
50.2	1369	1.17	27.88	16174						
44.9	1530	1.05	31.15	16276						
40.7	1688	0.95	34.38	16321						
224.7	309	2.1	6.23	H101	132L4		5000		124-125	
185.5	374	1.74	7.55				5000			
166.7	417	1.56	8.40			5000				
40.9	1680	1.9	34.20	H102	132L4	22000	126-127			
36.4	1889	1.48	38.45			22000				
33.9	2028	1.63	41.30			22000				
30.6	2250	1.47	45.82			22000				
27.2	2530	1.30	51.52			22000				
25.2	2668	1.3	55.47	H103	132L4	22000	126-127			
20.1	3351	1.04	69.69			22000				
17.5	3838	0.91	79.82			22000				
16.6	4047	0.86	84.16			22000				
20.8	3238	1.5	67.32	H123	132L4	30000	130-131			
19.0	3545	1.41	73.71			30000				
16.8	4008	1.25	83.34			30000				
15.6	4327	1.16	89.97			30000				
14.0	4823	1.04	100.29			30000				
12.9	5210	0.96	108.34			30000				
11.8	5705	0.88	118.62			30000				
16.2	4157	1.9	86.43	H143	132L4	55000	132-133			
14.6	4627	1.73	96.21			55000				
13.4	5026	1.59	104.51			55000				
12.1	5575	1.44	115.92			55000				




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)				
7.5	10.9	6178	1.29	128.47	H143	132L4	55000	132-133			
	10.0	6711	1.19	139.55			55000				
	9.1	7422	1.08	154.33			55000				
	7.5	8943	0.89	185.96			55000				
9.2	260.5	324	1.5	5.38	H062	132M4	8848	118-119			
	235.9	358	1.54	5.93			9008				
	189.4	445	1.24	7.39			9330				
	164.7	512	1.17	8.50			9504				
	149.2	565	1.06	9.39			9608				
	119.8	704	0.92	11.69			9769				
	1079.2	79	2.5	1.30			H081		132M4	2821	120-121
	980.0	87	2.53	1.43						2890	
	725.0	118	1.96	1.93						3106	
	550.8	155	1.81	2.54						3295	
430.8	198	1.57	3.25	3452							
376.1	227	1.37	3.72	3531							
350.0	243	1.31	4.00	3569							
300.0	284	1.13	4.67	3643							
252.8	337	0.98	5.54	3707							
230.1	370	0.92	6.08	3732							
259.8	325	2.2	5.39	H082	132M4	11559	122-123				
235.5	358	1.95	5.95			11836					
189.3	446	1.80	7.39			12442					
174.5	483	1.66	8.02			12663					
158.2	533	1.69	8.85			12926					
127.2	663	1.66	11.01			13478					
103.7	813	1.72	13.50			13942					
94.0	897	1.67	14.90			14140					
84.3	1001	1.50	16.62			14336					
75.6	1116	1.34	18.53			14501					
72.2	1168	1.37	19.38			14560					
65.5	1289	1.24	21.39			14664					
61.4	1374	1.16	22.80			14713					
52.6	1603	1.00	26.60			14762					
50.2	1680	0.95	27.88			14755					
44.9	1877	0.85	31.15			14690					
287.2	297	2.1	4.88	H101	132M4	5000	124-125				
265.8	321	1.93	5.27			5000					
224.7	379	1.69	6.23			5000					
185.5	459	1.42	7.55			5000					
166.7	511	1.27	8.40			5000					
48.7	1731	1.9	28.73			H102		132M4	22000	126-127	
45.6	1851	1.73	30.72	22000							
40.9	2060	1.55	34.20	22000							
36.4	2317	1.21	38.45	22000							
33.9	2488	1.33	41.30	22000							
30.6	2760	1.20	45.82	22000							
27.2	3104	1.06	51.52	22000							
25.2	3272	1.1	55.47	H103	132M4		22000		126-127		
224.0	380	2.4	6.25	H121	132M4	6000	128-129				
181.8	469	2.13	7.70			6000					
31.7	2657	1.9	44.10	H122	132M4	30000	130-131				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
9.2	30.6	2700	1.9	45.77	H123	132M4	30000	130-131
	25.1	3296	1.52	55.87			30000	
	20.8	3972	1.26	67.32			30000	
	19.0	4348	1.15	73.71			30000	
	16.8	4916	1.02	83.34			30000	
	15.6	5307	0.94	89.97			30000	
	19.6	4209	1.9	71.35	H143	132M4	55000	132-133
	17.7	4665	1.71	79.07			55000	
	16.2	5099	1.57	86.43			55000	
	14.6	5675	1.41	96.21			55000	
	13.4	6165	1.30	104.51			55000	
	12.1	6838	1.17	115.92			55000	
	10.9	7578	1.06	128.47			55000	
	10.0	8232	0.97	139.55			55000	
9.1	9104	0.88	154.33	55000				
11	259.8	388	1.8	5.39	H082	160M4	11269	122-123
	235.5	428	1.63	5.95			11515	
	189.3	533	1.50	7.39			12043	
	174.5	578	1.38	8.02			12231	
	158.2	638	1.41	8.85			12449	
	127.2	793	1.39	11.01			12884	
	103.7	972	1.44	13.50			13214	
	94.0	1073	1.40	14.90			13337	
	84.3	1197	1.25	16.62			13440	
	75.6	1334	1.12	18.53			13502	
	72.2	1396	1.15	19.38			13515	
	65.5	1541	1.04	21.39			13511	
	378.4	269	2.2	3.70	H101	160M4	4784	124-125
	331.6	307	1.98	4.22			4931	
	287.2	355	1.75	4.88			5000	
	265.8	383	1.62	5.27			5000	
	224.7	454	1.41	6.23			5000	
	185.5	549	1.18	7.55			5000	
	166.7	611	1.06	8.40			5000	
	78.4	1286	2.5	17.85			H102	
	70.5	1430	2.24	19.85	21432			
	65.3	1545	2.07	21.44	21690			
	58.4	1727	1.91	23.97	22000			
	54.1	1865	1.77	25.89	22000			
	48.7	2069	1.59	28.73	22000			
	45.6	2213	1.45	30.72	22000			
	40.9	2464	1.30	34.20	22000			
	33.9	2975	1.11	41.30	22000			
	30.6	3300	1.00	45.82	22000			
	25.2	3913	0.9	55.47	H103	160M4		22000
	268.5	380	2.3	5.21	H121	160M4	6000	128-129
	224.0	455	1.98	6.25			6000	
181.8	560	1.78	7.70	6000				
42.4	2377	2.1	33.00	H122	160M4	30000	130-131	
38.7	2603	1.92	36.13			30000		
31.7	3177	1.57	44.10			30000		




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)					
11	30.6	3229	1.5	45.77	H123	160M4	30000	130-131				
	25.1	3941	1.27	55.87			30000					
	20.8	4749	1.05	67.32			30000					
	19.0	5199	0.96	73.71			30000					
	26.2	3775	2.1	53.53	H143	160M4	55000	132-133				
	23.6	4177	1.92	59.22			55000					
	22.2	4443	1.80	62.99			55000					
	19.6	5033	1.59	71.35			55000					
	17.7	5577	1.43	79.07			55000					
	16.2	6096	1.31	86.43			55000					
	14.6	6786	1.18	96.21			55000					
	13.4	7371	1.09	104.51			55000					
	12.1	8176	0.98	115.92			55000					
	10.9	9061	0.88	128.47			55000					
	15	259.8	529	1.3			5.39		H082	160L4	10623	122-123
		235.5	584	1.20			5.95				10803	
189.3		726	1.10	7.39	11158							
174.5		788	1.02	8.02	11270							
158.2		869	1.04	8.85	11388							
127.2		1081	1.02	11.01	11566							
103.7		1326	1.06	13.50	11596							
94.0		1463	1.03	14.90	11552							
		427.8	325	1.8	3.27	H101	160L4	4426			124-125	
		378.4	367	1.63	3.70			4535				
	331.6	419	1.46	4.22	4646							
	287.2	484	1.28	4.88	4759							
	265.8	523	1.19	5.27	4814							
	224.7	618	1.03	6.23	4921							
	185.5	749	0.87	7.55	5000							
		266.0	517	3.5	5.26			H102	160L4	15368		126-127
220.3		624	3.20	6.36	16074							
198.6		693	3.32	7.05	16458							
169.2		813	3.08	8.27	17037							
140.1		981	2.85	9.99	17689							
126.3		1089	2.76	11.09	18029							
105.1		1309	2.37	13.32	18582							
87.0		1581	2.02	16.09	19064							
78.4		1754	1.82	17.85	19282							
70.5		1950	1.64	19.85	19461							
65.3		2106	1.52	21.44	19561							
58.4		2354	1.40	23.97	19652							
54.1		2544	1.30	25.89	19673							
48.7		2822	1.17	28.73	19639							
45.6		3018	1.06	30.72	19576							
40.9		3359	0.95	34.20	19398							
	340.0	409	2.1	4.12	H121	160L4	6000	128-129				
	291.7	476	1.83	4.80			6000					
	268.5	518	1.70	5.21			6000					
	224.0	620	1.45	6.25			6000					
	181.8	764	1.31	7.70			6000					
	62.2	2212	2.3	22.52	H122	160L4	30000	130-131				
	57.2	2403	2.08	24.47			30000					
	50.9	2700	1.85	27.49			30000					
	46.9	2933	1.70	29.86			30000					



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)			
15	42.4	3242	1.54	33.00	H122	160L4	30000	130-131		
	38.7	3549	1.41	36.13			30000			
	31.7	4332	1.15	44.10			30000			
	30.6	4403	1.1	45.77	H123	160L4	30000	130-131		
	25.1	5374	0.93	55.87			30000			
	32.5	4229	1.9	43.05	H142	160L4	53576	132-133		
	29.0	4650	1.7	48.35			H143		160L4	54900
26.2	5148	1.55	53.53	55000						
23.6	5696	1.40	59.22	55000						
22.2	6059	1.32	62.99	55000						
19.6	6863	1.17	71.35	55000						
17.7	7606	1.05	79.07	55000						
16.2	8313	0.96	86.43	55000						
14.6	9253	0.86	96.21	55000						
18.5	1083.0	158	2.5	1.29	H101	180M4	3463	124-125		
	992.7	173	2.61	1.41			3539			
	688.9	249	1.81	2.03			3855			
	564.2	304	1.81	2.48			4021			
	427.8	401	1.50	3.27			4233			
	378.4	453	1.32	3.70			4316			
	331.6	517	1.18	4.22			4397			
	287.2	597	1.04	4.88			4471			
	265.8	645	0.96	5.27			4504			
	266.0	638	2.8	5.26			H102		180M4	14911
220.3	770	2.60	6.36	15522						
198.6	854	2.69	7.05	15845						
169.2	1002	2.49	8.27	16318						
140.1	1211	2.31	9.99	16821						
126.3	1343	2.23	11.09	17065						
105.1	1614	1.92	13.32	17424						
87.0	1949	1.64	16.09	17666						
78.4	2163	1.48	17.85	17730						
70.5	2405	1.33	19.85	17737						
65.3	2598	1.23	21.44	17698						
58.4	2904	1.14	23.97	17569						
54.1	3137	1.05	25.89	17423						
48.7	3480	0.95	28.73	17143						
445.5	385	2.1	3.14	H121	180M4	5756		128-129		
391.2	438	1.94	3.58			5925				
340.0	504	1.69	4.12			6000				
291.7	588	1.48	4.80			6000				
268.5	638	1.38	5.21			6000				
224.0	765	1.18	6.25			6000				
181.8	943	1.06	7.70			6000				
265.4	639	4.7	5.27			H122	180M4		22825	130-131
242.4	700	4.57	5.78	23385						
198.6	854	4.22	7.05	24631						
180.8	938	3.94	7.74	25221						
165.2	1027	3.70	8.48	25792						
135.3	1253	3.19	10.35	27041						
110.6	1534	2.87	12.66	28280						
101.0	1680	2.74	13.86	28820						
82.7	2050	2.34	16.92	29954						
72.5	2341	2.14	19.32	30000						




H Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)			
18.5	68.1	2492	2.01	20.57	H122	180M4	30000	130-131		
	62.2	2729	1.83	22.52			30000			
	57.2	2964	1.69	24.47			30000			
	50.9	3330	1.50	27.49			30000			
	46.9	3618	1.38	29.86			30000			
	42.4	3998	1.25	33.00			30000			
	38.7	4377	1.14	36.13			30000			
31.7	5343	0.94	44.10	30000						
30.6	5430	0.9	45.77	H123	180M4	30000	130-131			
43.4	3906	2.0	32.24	H142	180M4	48515	132-133			
36.0	4707	1.70	38.85			49940				
32.5	5216	1.53	43.05			50624				
29.0	5735	1.4	48.35	H143	180M4	51654	132-133			
26.2	6350	1.26	53.53			52166				
23.6	7025	1.14	59.22			52559				
22.2	7472	1.07	62.99			52735				
19.6	8464	0.95	71.35			52921				
17.7	9380	0.85	79.07			52879				
22	1083.0	188	2.1			1.29		H101	180L4	3387
	992.7	205	2.19	1.41	3456					
	688.9	296	1.52	2.03	3735					
	564.2	361	1.52	2.48	3874					
	427.8	476	1.26	3.27	4039					
266.0	758	2.4	5.26	H102	180L4	14453	126-127			
220.3	916	2.18	6.36			14970				
198.6	1016	2.26	7.05			15233				
169.2	1192	2.10	8.27			15599				
140.1	1440	1.95	9.99			15953				
126.3	1597	1.88	11.09			16102				
105.1	1920	1.61	13.32			16266				
87.0	2318	1.38	16.09			16267				
78.4	2572	1.24	17.85			16179				
70.5	2860	1.12	19.85			16012				
65.3	3089	1.04	21.44			15835				
58.4	3453	0.96	23.97			15486				
54.1	3731	0.88	25.89			15173				
775.0	263	2.7	1.81			H121		180L4	4926	128-129
700.0	291	2.58	2.00						5051	
564.5	361	2.22	2.48	5311						
473.8	430	1.86	2.95	5519						
445.5	458	1.79	3.14	5590						
391.2	521	1.63	3.58	5736						
340.0	599	1.42	4.12	5884						
291.7	699	1.25	4.80	6000						
268.5	759	1.16	5.21	6000						
224.0	910	0.99	6.25	6000						
181.8	1121	0.89	7.70	6000						
265.4	760	3.9	5.27	H122	180L4		22436		130-131	
242.4	832	3.85	5.78				22959			
198.6	1016	3.54	7.05			24111				
180.8	1115	3.32	7.74			24650				
165.2	1221	3.11	8.48			25166				
135.3	1491	2.68	10.35			26277				
110.6	1824	2.41	12.66			27345				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)					
22	101.0	1997	2.30	13.86	H122	180L4	27796	130-131				
	82.7	2438	1.97	16.92			28704					
	72.5	2784	1.80	19.32			29226					
	68.1	2964	1.69	20.57			29445					
	62.2	3245	1.54	22.52			29723					
	57.2	3525	1.42	24.47			29933					
	50.9	3961	1.26	27.49			30000					
	46.9	4302	1.16	29.86			30000					
	42.4	4754	1.05	33.00			30000					
	38.7	5205	0.96	36.13			30000					
	58.0	3479	2.3	24.15	H142	180L4	44316	132-133				
	52.3	3856	2.07	26.76			45077					
	43.4	4645	1.72	32.24			46304					
	36.0	5597	1.43	38.85			47276					
	32.5	6203	1.29	43.05			47672					
		29.0	6820	1.2			48.35		H143	180L4	48408	132-133
		26.2	7551	1.06			53.53				48572	
		23.6	8354	0.96			59.22				48583	
		22.2	8886	0.90			62.99				48506	
	30	1137.5	244	2.7			1.23		H121	200L4	4311	128-129
988.2		281	2.49	1.42	4458							
775.0		359	1.95	1.81	4708							
700.0		397	1.89	2.00	4809							
564.5		492	1.63	2.48	5012							
473.8		586	1.36	2.95	5161							
445.5		624	1.31	3.14	5210							
391.2		710	1.20	3.58	5303							
340.0		817	1.04	4.12	5387							
291.7		953	0.91	4.80	5454							
268.5	1035	0.85	5.21	5477								
	265.4	1036	2.9	5.27	H122	200L4	21545	130-131				
	242.4	1135	2.82	5.78			21984					
	198.6	1385	2.60	7.05			22921					
	180.8	1521	2.43	7.74			23343					
	165.2	1665	2.28	8.48			23736					
	135.3	2033	1.97	10.35			24532					
	110.6	2488	1.77	12.66			25208					
	101.0	2724	1.69	13.86			25457					
	82.7	3324	1.44	16.92			25849					
	72.5	3796	1.32	19.32			25966					
	68.1	4041	1.24	20.57			25973					
	62.2	4425	1.13	22.52			25922					
	50.9	5401	0.93	27.49			25510					
		80.2	3429	2.3			17.45		H142	200L4	38906	132-133
		69.9	3938	2.03			20.04				39680	
		58.0	4744	1.69			24.15				40531	
52.3		5258	1.52	26.76	40882							
43.4		6334	1.26	32.24	41250							
36.0		7632	1.05	38.85	41187							
32.5		8458	0.95	43.05	40924							
29.0		9300	0.9	48.35	H143	200L4	40988	132-133				




H Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
37	265.4	1278	3.6	5.27	H142	225S4	29300	132-133
	220.3	1540	3.18	6.36			30618	
	198.8	1707	2.93	7.04			31335	
	178.5	1900	2.79	7.84			32072	
	148.1	2290	2.84	9.45			33302	
	133.7	2538	2.84	10.47			33946	
	107.1	3167	2.30	13.07			35214	
	88.9	3816	2.04	15.75			36108	
	80.2	4229	1.87	17.45			36512	
	69.9	4856	1.65	20.04			36931	
	58.0	5851	1.37	24.15			37219	
	52.3	6485	1.23	26.76			37212	
	43.4	7812	1.02	32.24			36829	
	36.0	9413	0.85	38.85			35859	
45	265.4	1554	3.0	5.27	H142	225M4	28474	132-133
	220.3	1873	2.62	6.36			29622	
	198.8	2075	2.41	7.04			30231	
	178.5	2311	2.29	7.84			30843	
	148.1	2785	2.33	9.45			31821	
	133.7	3086	2.33	10.47			32305	
	107.1	3852	1.90	13.07			33166	
	88.9	4641	1.68	15.75			33640	
	80.2	5144	1.54	17.45			33776	
	69.9	5906	1.35	20.04			33790	
	58.0	7117	1.12	24.15			33434	
	52.3	7887	1.01	26.76			33017	




IH (n1=1400) Prestazioni / Performance / Leistungen / Performances / Prestaciones

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)			
25	1.45	2.6	966.7	IHA41	330	512	104-105		
25	2.94	1.3	475.5		330	648			
30	4.75	1.0	294.7		330	760			
30	5.45	0.8	256.7		330	796			
25	7.88	0.5	177.8		330	900			
20	10.83	0.3	129.2		330	1001			
40	1.45	4.2	966.7	IHA51	330	1410	104-105		
40	2.94	2.1	475.5		330	1786			
50	4.75	1.6	294.7		330	2095			
50	5.45	1.4	256.7		330	2194			
40	7.88	0.8	177.8		330	2479			
25	10.83	0.3	129.2		330	2757			
90	1.33	10.2	1050.0	IHA61	550	2053	104-105		
90	2.50	5.4	560.0		550	2531			
110	4.38	3.8	319.3		550	3053			
90	7.75	1.8	180.6		550	3691			
70	10.67	1.0	131.3		550	4106			
25	1.44	2.6	973.9	IHO41	996	596	108-109		
25	2.00	1.9	700.0		1101	678			
30	2.55	1.8	550.0		1116	721			
30	2.71	1.7	515.8		1132	739			
40	3.11	1.9	450.8		1093	733			
45	3.59	1.9	390.2		1100	754			
45	4.20	1.6	333.3		1139	806			
45	5.00	1.4	280.0		1176	866			
50	5.50	1.4	254.5		1174	877			
50	6.09	1.2	229.9		1193	915			
50	7.67	1.0	182.6		1230	1000			
55	8.75	0.9	160.0		1235	1000			
40	1.27	4.7	1100.0		IHO51	825		1492	112-113
60	1.42	6.4	986.4			630		1466	
60	2.13	4.3	658.8	883		1712			
70	2.57	4.1	544.4	901		1797			
80	3.17	3.8	442.1	937		1903			
90	3.69	3.7	379.7	952		1975			
90	4.00	3.4	350.0	987		2040			
95	4.77	3.0	293.5	1033		2163			
100	5.25	2.9	266.7	1049		2225			
100	5.82	2.6	240.6	1083		2316			
100	7.33	2.1	190.9	1147		2500			
100	8.38	1.8	167.2	1178		2500			
80	1.34	9.0	1041.9	IHO61		2094	2217	116-117	
120	2.13	8.5	658.8		2140	2426			
120	2.57	7.1	544.4		2285	2628			
130	3.17	6.2	442.1		2368	2806			
150	3.69	6.1	379.7		2374	2875			
150	4.00	5.7	350.0		2421	2977			
160	4.77	5.1	293.5		2479	3149			
170	5.25	4.9	266.7		2496	3223			
170	5.82	4.4	240.6		2543	3367			
170	7.33	3.5	190.9		2632	3700			
170	8.38	3.1	167.2		2675	3700			
200	1.30	23.3	1079.2	IHO81	922	2332	120-121		
220	1.43	23.3	980.0		925	2352			



Prestazioni / Performance / Leistungen / Performances / Prestaciones (n1=1400) IH


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)			
230	1.93	18.0	725.0	IH081	1404	2651	120-121		
280	2.54	16.6	550.8		1527	2788			
310	3.25	14.4	430.8		1730	2999			
310	3.72	12.6	376.1		1896	3193			
320	4.00	12.1	350.0		1941	3260			
320	4.67	10.4	300.0		2098	3497			
330	5.54	9.0	252.8		2221	3735			
340	6.08	8.4	230.1		2272	3854			
350	7.50	7.1	186.7		2398	4000			
350	8.44	6.3	165.8		2470	4000			
400	1.29	46.8	1083.0		IH101	1816		2847	124-125
450	1.41	48.2	992.7	1749		2832			
450	2.03	33.5	688.9	2427		3342			
550	2.48	33.5	564.2	2425		3393			
600	3.27	27.7	427.8	2691		3724			
600	3.70	24.5	378.4	2838		3941			
610	4.22	21.8	331.6	2961		4160			
620	4.88	19.2	287.2	3081		4412			
620	5.27	17.8	265.8	3147		4566			
640	6.23	15.5	224.7	3251		4866			
650	7.55	13.0	185.5	3366		5000			
650	8.40	11.7	166.7	3427		5000			
650	1.23	79.8	1137.5	IH121		869	3385	128-129	
700	1.42	74.7	988.2		1066	3502			
700	1.81	58.6	775.0		1685	3928			
750	2.00	56.7	700.0		1757	4002			
800	2.48	48.8	564.5		2061	4309			
800	2.95	40.9	473.8		2362	4674			
820	3.14	39.4	445.5		2419	4762			
850	3.58	35.9	391.2		2555	4984			
850	4.12	31.2	340.0		2735	5312			
870	4.80	27.4	291.7		2881	5643			
880	5.21	25.5	268.5		2953	5831			
900	6.25	21.8	224.0		3097	6000			
1000	7.70	19.6	181.8		3179	6000			
80	5.38	2.3	260.3		IHA32	330	1096		104-105
80	6.52	1.9	214.8	409		1169			
75	8.11	1.4	172.6	373		1257			
90	10.94	1.3	128.0	441		1389			
80	13.25	0.9	105.7	363		1481			
80	16.49	0.7	84.9	398		1593			
90	20.26	0.7	69.1	453		1706			
85	24.55	0.5	57.0	386		1818			
80	30.55	0.4	45.8	374		1956			
90	35.44	0.4	39.5	480		2000			
90	44.10	0.3	31.7	398		2000			
80	48.75	0.3	28.7	398		2000			
95	60.67	0.2	23.1	472		2000			
100	51.32	0.3	27.3	IHA33		472	2000	104-105	
100	59.65	0.3	23.5			472	2000		
100	72.27	0.2	19.4		472	2000			
100	89.94	0.2	15.6		472	2000			
100	110.51	0.14	12.7		472	2000			
100	133.88	0.12	10.5		472	2000			
100	166.61	0.09	8.4		472	2000			
100	193.30	0.08	7.2		472	2000			




IH (n1=1400) Prestazioni / Performance / Leistungen / Performances / Prestaciones

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
100	240.55	0.06	5.8	IHA33	472	2000	104-105
100	279.07	0.06	5.0		472	2000	
100	347.29	0.04	4.0		472	2000	
140	5.38	4.0	260.3	IHA42	330	2308	104-105
140	6.52	3.3	214.8		409	2461	
130	8.11	2.4	172.6		369	2647	
150	10.94	2.1	128.0		424	2924	
140	13.25	1.6	105.7		381	3117	
140	16.49	1.3	84.9		398	3353	
150	20.26	1.1	69.1		432	3591	
155	24.55	1.0	57.0		422	3828	
140	30.55	0.7	45.8		359	4118	
150	35.44	0.6	39.5		457	4300	
140	44.10	0.5	31.7		371	4300	
130	48.75	0.41	28.7		416	4300	
140	60.67	0.35	23.1		428	4300	
150	51.32	0.5	27.3		IHA43	427	
150	59.65	0.4	23.5	426		4300	
150	72.27	0.3	19.4	409		4300	
150	89.94	0.3	15.6	398		4300	
150	110.51	0.2	12.7	403		4300	
150	133.88	0.2	10.5	409		4300	
150	166.61	0.14	8.4	398		4300	
150	193.30	0.12	7.2	427		4300	
150	240.55	0.10	5.8	398		4300	
150	279.07	0.08	5.0	427		4300	
150	347.29	0.07	4.0	398		4300	
240	5.14	7.1	272.2	IHA52		550	2842
240	6.22	5.9	225.0		682	3029	
240	7.73	4.7	181.0		664	3256	
300	9.64	4.8	145.2		827	3505	
280	11.67	3.7	120.0		636	3735	
280	14.50	2.9	96.6		664	4015	
300	16.91	2.7	82.8		758	4227	
290	20.46	2.2	68.4		659	4504	
280	25.43	1.7	55.1		641	4842	
300	29.89	1.5	46.8		752	5110	
300	36.17	1.3	38.7		682	5445	
280	44.95	1.0	31.1		620	5855	
300	49.78	0.9	28.1		798	6000	
290	61.87	0.7	22.6		642	6000	
300	49.80	0.9	28.1	IHA53	330	6000	104-105
300	60.25	0.8	23.2		409	6000	
300	74.88	0.6	18.7		398	6000	
300	88.02	0.5	15.9		421	6000	
300	111.61	0.4	12.5		390	6000	
300	138.71	0.3	10.1		398	6000	
300	163.05	0.3	8.6		421	6000	
300	200.27	0.23	7.0		403	6000	
300	235.41	0.20	5.9		421	6000	
300	284.81	0.16	4.9		409	6000	
300	353.98	0.13	4.0		398	6000	
380	5.14	11.3	272.2		IHA62	550	
380	6.22	9.3	225.0	682		4470	
380	7.73	7.5	181.0	664		4806	



Prestazioni / Performance / Leistungen / Performances / Prestaciones (n1=1400) IH


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)		
460	9.64	7.3	145.2	IHA62	801	5173	104-105	
440	11.67	5.8	120.0		652	5512		
420	14.50	4.4	96.6		634	5926		
500	16.91	4.5	82.8		842	6238		
460	20.46	3.4	68.4		627	6647		
430	25.43	2.6	55.1		621	7147		
450	29.89	2.3	46.8		734	7543		
470	36.17	2.0	38.7		712	8000		
440	44.95	1.5	31.1		621	8000		
370	49.78	1.1	28.1		626	8000		
440	61.87	1.1	22.6	789	8000			
480	49.80	1.5	28.1	IHA63	330	8000	104-105	
480	60.25	1.2	23.2		409	8000		
480	74.88	1.0	18.7		398	8000		
480	88.02	0.9	15.9		421	8000		
480	111.61	0.7	12.5		390	8000		
480	138.71	0.5	10.1		398	8000		
480	163.05	0.5	8.6		421	8000		
480	200.27	0.4	7.0		403	8000		
480	235.41	0.3	5.9		421	8000		
480	284.81	0.3	4.9		409	8000		
480	353.98	0.2	4.0	398	8000			
95	4.70	3.1	298.1	IH032	700	3021	106-107	
105	6.23	2.6	224.7		817	3309		
125	7.76	2.5	180.4		843	3432		
130	8.87	2.2	157.9		894	3593		
140	10.14	2.1	138.0		924	3713		
145	11.76	1.9	119.0		975	3920		
170	13.72	1.9	102.0		973	3943		
170	14.66	1.8	95.5		1000	4069		
190	16.77	1.7	83.5		1010	4126		
200	18.20	1.7	76.9		1021	4189		
200	19.90	1.5	70.4		1054	4376		
200	22.68	1.3	61.7		1097	4661		
200	23.83	1.3	58.7		1112	4772		
200	26.39	1.2	53.0		1140	5007		
200	29.70	1.0	47.1		1169	5288		
200	32.89	0.9	42.6		1192	5500		
200	37.92	0.81	36.9		1220	5500		
200	41.40	0.74	33.8		1236	5500		
200	47.25	0.65	29.6		1257	5500		
200	53.59	0.6	26.1		IH033	1274		5500
200	66.78	0.47	21.0	1300		5500		
200	74.84	0.42	18.7	1311		5500		
200	99.27	0.31	14.1	1334		5500		
200	108.05	0.29	13.0	1339		5500		
200	123.71	0.25	11.3	1348		5500		
200	143.33	0.22	9.8	1355		5500		
200	178.61	0.17	7.8	1365		5500		
200	197.17	0.16	7.1	1369		5500		
200	245.70	0.13	5.7	1375		5500		
160	5.46	4.5	256.3	IH042	434	3912	110-11	
160	7.19	3.4	194.8		673	4408		
210	8.91	3.6	157.1		628	4416		
240	10.31	3.6	135.7		638	4471		




IH (n1=1400) Prestazioni / Performance / Leistungen / Performances / Prestaciones

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
250	11.80	3.2	118.6	IH042	709	4681	110-111
250	13.57	2.8	103.2		803	5001	
250	15.96	2.4	87.7		897	5389	
250	19.00	2.0	73.7		982	5831	
250	21.00	1.8	66.7		1024	6097	
260	23.15	1.7	60.5		1047	6280	
260	26.04	1.5	53.8		1089	6600	
280	27.50	1.6	50.9		1083	6600	
280	30.45	1.4	46.0		1116	6600	
280	34.10	1.3	41.1		1150	6600	
280	37.76	1.1	37.1		1177	6600	
280	43.75	0.98	32.0		1211	6600	
280	47.53	0.90	29.5		1228	6600	
280	54.25	0.79	25.8		1253	6600	
300	61.83	0.8	22.6	IH043	1264	6600	110-111
300	76.67	0.61	18.3		1296	6600	
300	87.05	0.54	16.1		1311	6600	
300	114.55	0.41	12.2		1340	6600	
300	125.69	0.37	11.1		1347	6600	
300	142.04	0.33	9.9		1357	6600	
300	165.38	0.28	8.5		1367	6600	
300	205.07	0.23	6.8		1379	6600	
300	227.50	0.21	6.2		1384	6600	
300	282.10	0.17	5.0		1392	6600	
260	5.73	6.9	244.4		IH052	259	
290	6.89	6.4	203.1	343		5059	
340	8.53	6.1	164.2	398		5234	
370	9.56	5.9	146.4	428		5322	
390	11.51	5.2	121.6	548		5680	
430	14.24	4.6	98.3	641		6016	
450	16.59	4.1	84.4	718		6343	
460	18.00	3.9	77.8	757		6530	
460	19.97	3.5	70.1	821		6866	
470	21.67	3.3	64.6	854		7069	
470	24.71	2.9	56.7	921		7521	
490	26.18	2.9	53.5	929		7594	
490	28.44	2.6	49.2	966		7894	
490	31.52	2.4	44.4	1008		8000	
490	33.00	2.3	42.4	1026		8000	
490	38.98	1.9	35.9	1083		8000	
490	45.36	1.6	30.9	1127		8000	
490	49.13	1.5	28.5	1148		8000	
490	56.11	1.3	24.9	1179	8000		
500	58.81	1.3	23.8	IH053	1185	8000	114-115
500	72.75	1.1	19.2		1226	8000	
500	90.51	0.86	15.5		1260	8000	
500	108.95	0.72	12.9		1283	8000	
500	134.76	0.58	10.4		1305	8000	
500	157.29	0.50	8.9		1319	8000	
500	194.56	0.40	7.2		1334	8000	
500	216.38	0.36	6.5		1340	8000	
500	267.65	0.29	5.2		1352	8000	
500	5.38	14.2	260.5	IH062	853	7822	118-119
550	5.93	14.2	235.9		860	7887	
550	7.39	11.4	189.4		1250	8720	
600	8.50	10.8	164.7		1332	8992	



Prestazioni / Performance / Leistungen / Performances / Prestaciones (n1=1400) IH


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
600	9.39	9.8	149.2	IH062	1475	9407	118-119
650	11.69	8.5	119.8		1652	10084	
700	12.67	8.4	110.5		1660	10166	
700	14.75	7.2	94.9		1827	10900	
800	16.29	7.5	86.0		1791	10815	
830	17.67	7.2	79.2		1837	11061	
850	20.28	6.4	69.0		1946	11686	
850	23.27	5.6	60.2		2061	12000	
850	25.70	5.1	54.5		2134	12000	
800	29.33	4.2	47.7		2259	12000	
850	32.00	4.1	43.8		2274	12000	
800	36.99	3.3	37.8		2379	12000	
850	40.33	3.2	34.7		2391	12000	
850	46.06	2.8	30.4		2447	12000	
850	49.45	2.7	28.3		IH063	2474	
850	54.61	2.4	25.6	2509		12000	
850	68.00	1.9	20.6	2574		12000	
850	85.82	1.5	16.3	2630		12000	
850	94.76	1.4	14.8	2650		12000	
850	118.00	1.1	11.9	2688		12000	
850	135.40	1.0	10.3	2707		12000	
850	149.51	0.89	9.4	2720		12000	
850	170.67	0.78	8.2	2735		12000	
850	186.18	0.71	7.5	2744		12000	
850	215.21	0.62	6.5	2757		12000	
850	234.67	0.56	6.0	2764		12000	
850	268.00	0.49	5.2	2774		12000	
700	5.39	19.8	259.8	IH082	816	9842	122-123
700	5.95	18.0	235.5		1021	10273	
800	7.39	16.5	189.3		1182	10821	
800	8.02	15.2	174.5		1325	11215	
900	8.85	15.5	158.2		1292	11248	
1100	11.01	15.3	127.2		1321	11480	
1400	13.50	15.8	103.7		1258	11258	
1500	14.90	15.4	94.0		1308	11384	
1500	16.62	13.8	84.3		1484	12054	
1500	18.53	12.4	75.6		1641	12745	
1600	19.38	12.6	72.2		1615	12583	
1600	21.39	11.4	65.5		1745	13240	
1600	22.80	10.7	61.4		1824	13678	
1600	26.60	9.2	52.6		1993	14774	
1600	27.88	8.8	50.2		2040	15120	
1600	31.15	7.8	44.9		2141	15956	
1600	34.38	7.1	40.7		2222	16725	
1600	38.70	6.3	36.2		2310	17684	
1600	42.75	5.7	32.7		2376	18000	
1600	48.13	5.1	29.1	2447	18000		
1600	56.53	4.4	24.8	IH083	2530	18000	122-123
1800	71.48	3.9	19.6		2583	18000	
1800	78.87	3.6	17.8		2623	18000	
1800	85.56	3.3	16.4		2653	18000	
1800	98.09	2.9	14.3		2698	18000	
1800	112.78	2.5	12.4		2739	18000	
1800	124.44	2.3	11.3		2764	18000	
1800	142.15	2.0	9.8		2794	18000	
1800	154.76	1.8	9.0		2812	18000	
1800	162.35	1.7	8.6		2821	18000	



IH (n1=1400) Prestazioni / Performance / Leistungen / Performances / Prestaciones

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)			
1800	179.13	1.6	7.8	IH083	2838	18000	130-131		
1800	195.07	1.4	7.2		2852	18000			
1800	222.78	1.3	6.3		2872	18000			
1800	5.26	52.2	266.0	IH102	1731	10504	126-127		
2000	6.36	48.1	220.3		1919	10859			
2300	7.05	49.8	198.6		1840	10364			
2500	8.27	46.1	169.2		2006	10640			
2800	9.99	42.8	140.1		2157	10795			
3000	11.09	41.3	126.3		2223	10783			
3100	13.32	35.5	105.1		2486	11791			
3200	16.09	30.4	87.0		2719	12924			
3200	17.85	27.4	78.4		2854	13798			
3200	19.85	24.6	70.5		2979	14721			
3200	21.44	22.8	65.3		3061	15415			
3300	23.97	21.0	58.4		3141	16067			
3300	25.89	19.5	54.1		3212	16805			
3300	28.73	17.5	48.7		3299	17827			
3200	30.72	15.9	45.6		3372	18885			
3200	34.20	14.3	40.9		3446	20003			
2800	38.45	11.1	36.4		3589	22000			
3300	41.30	12.2	33.9		3540	21688			
3300	45.82	11.0	30.6		3594	22000			
3300	51.52	9.8	27.2		3649	22000			
3500	55.47	9.8	25.2	IH103	3656	22000	126-127		
3500	69.69	7.8	20.1		3745	22000			
3500	79.82	6.8	17.5		3789	22000			
3500	84.16	6.5	16.6		3804	22000			
3500	93.36	5.8	15.0		3833	22000			
3500	100.07	5.5	14.0		3850	22000			
3500	120.84	4.5	11.6		3892	22000			
3500	134.06	4.1	10.4		3911	22000			
3500	143.42	3.8	9.8		3923	22000			
3500	160.82	3.4	8.7		3941	22000			
3500	181.07	3.0	7.7		3958	22000			
3500	194.21	2.8	7.2		3967	22000			
3500	215.45	2.5	6.5		3979	22000			
3600	242.59	2.3	5.8		3989	22000			
3000	5.27	86.9	265.4		IH122	778		15220	130-131
3200	5.78	84.6	242.4			862		15332	
3600	7.05	78.0	198.6	1110		15786			
3700	7.74	73.0	180.8	1297		16325			
3800	8.48	68.5	165.2	1467		16860			
4000	10.35	59.0	135.3	1819		18195			
4400	12.66	53.1	110.6	2043		19049			
4600	13.86	50.7	101.0	2132		19413			
4800	16.92	43.3	82.7	2408		21096			
5000	19.32	39.5	72.5	2550		22087			
5000	20.57	37.1	68.1	2640		22886			
5000	22.52	33.9	62.2	2760		24070			
5000	24.47	31.2	57.2	2861		25182			
5000	27.49	27.8	50.9	2989		26801			
5000	29.86	25.6	46.9	3072		27989			
5000	33.00	23.1	42.4	3163		29467			
5000	36.13	21.1	38.7	3238	30000				
5000	44.10	17.3	31.7	3381	30000				


Prestazioni / Performance / Leistungen / Performances / Prestaciones (n1=1400) IH

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)			
5000	45.77	17.0	30.6	IH123	3405	30000	130-131		
5000	55.87	14.0	25.1						
5000	67.32	11.6	20.8						
5000	73.71	10.6	19.0						
5000	83.34	9.4	16.8						
5000	89.97	8.7	15.6						
5000	100.29	7.8	14.0						
5000	108.34	7.2	12.9						
5000	118.62	6.6	11.8						
5000	128.18	6.1	10.9						
5000	144.79	5.4	9.7						
5000	155.22	5.0	9.0						
5000	172.80	4.5	8.1						
5000	189.19	4.1	7.4						
5000	207.40	3.7	6.7						
5000	230.92	3.4	6.1						
4600	5.27	133.2	265.4		IH142	4000		19362	132-133
4900	6.36	117.7	220.3						
5000	7.04	108.4	198.8						
5300	7.84	103.2	178.5						
6500	9.45	105.0	148.1						
7200	10.47	105.0	133.7						
7300	13.07	85.3	107.1						
7800	15.75	75.6	88.9						
7900	17.45	69.1	80.2						
8000	20.04	61.0	69.9						
8000	24.15	50.6	58.0						
8000	26.76	45.6	52.3						
8000	32.24	37.9	43.4						
8000	38.85	31.4	36.0						
8000	43.05	28.4	32.5						
8000	48.35	25.8	29.0	IH143		8000	44878	132-133	
8000	53.53	23.3	26.2						
8000	59.22	21.1	23.6						
8000	62.99	19.8	22.2						
8000	71.35	17.5	19.6						
8000	79.07	15.8	17.7						
8000	86.43	14.4	16.2						
8000	96.21	13.0	14.6						
8000	104.51	11.9	13.4						
8000	115.92	10.8	12.1						
8000	128.47	9.7	10.9						
8000	139.55	8.9	10.0						
8000	154.33	8.1	9.1						
8000	185.96	6.7	7.5						
8000	206.08	6.1	6.8						