



One **GREAT**
Team for
mechatronic
SOLUTIONS

CLEAN DUTY



Designation

CLEAN DUTY											
SW-CD/A			SW-CD/B			SW-CD/C			SW-CD/D		
50											
030	040	050	063	075	090						
FA											
FA		FB		FC		FD		FE			
7,5											
5	7,5	10	15	20	25	30	40	50	60	80	100
160x14											
PAM											
125											
.....											
25											
.....											
B3											
B3		B8		B6		B7		V5		V6	
.....											

Tipo riduttore - Gearbox type - Getriebetyp - Type du reducteur - Tipo reductore

Grandezza - Size - Baugröße - Grandeur - Tamaño

Flangia di uscita - Output flange - Abtriebsflansch - Bride de sortie - Brida de salida

Rapporto di riduzione - Reduction ratio - Übersetzungsverhältnis - Rapport de réduction - Relación de reducción

Dimensioni entrata - Input dimensions - Abmessungen antriebsseitig - Dimensions d'entrée - Dimensiones entrada

Ø Flangia uscita - Ø Output flange - Ø Abtriebsflansch - Ø Bride de sortie - Ø Brida de salida

Ø Albero uscita - Ø Output shaft - Ø Abtriebswelle - Ø Arbre de sortie - Ø Eje de salida

Posizione di piazzamento - Mounting position - Einbaulage - Position de montage - Posición de montaje

Accessori - Accessories - Zubehör - Accessoires - Accesorios



Clean Duty Solution

Available range

	SOLUTION SW-CD	.../A	.../B	.../C	.../D
<i>Casing Treatment</i>	TNCP0 (Steel it)		X		
	TNC17 (Chemical treatment)			X	X
<i>Output Shaft</i>	Worm wheel AISI304/316	X	X	X	X
<i>Lubricant Oil seal</i>	Food grade lubricant	Option	Option		X
	High pressure oil seal	Option	Option		X
<i>Motor</i>	Standard Motor	X			
	TNCP0 (Steel it) - Standard Motor		X		
	AISI304 MOTOR			X	X

 NOT AVAILABLE

CLEAN DUTY

